



Free Questions for GPYC by actualtestdumps

Shared by Leonard on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

An operator able to perform bitwise shifts is coded as (select two answers)

Options:

A- - -

B- ++

C- <<

D- >>

Answer:

C, D

Question 2

Question Type: MultipleChoice

What will be the value of the i variable when the while loop finishes its execution?

```
i = 0
```

```
while i != 0:
```

```
    i = i - 1
```

```
else:
```

```
    i = i + 1
```

Options:

A- 1

B- 0

C- 2

D- the variable becomes unavailable

Answer:

A

Question 3

Question Type: MultipleChoice

An attacker does not yet know the IP address of his target. He uses the "socket" module to create a backdoor program. He is writing the command to bind the computer's current IP address and port 4444 to the "backdoor" socket. Which command should he use?

Options:

- A- `backdoor.bind(UDP, 4444)`
- B- `backdoor.bind()(4444)`
- C- `backdoor.bind((*))`
- D- `backdoor.bind(('',4444))`

Answer:

D

Question 4

Question Type: MultipleChoice

In a SQL injection attack, which character would an attacker use to separate multiple SQL statements on a single line?

Options:

A- "(double quotation marks)

B- ; (semicolon)

C- . (period)

D- % (percentage sign)

Answer:

B

Question 5

Question Type: MultipleChoice

What will the last value of V be when Python executes the following control loop?

```
for x in range(4, 20, 2):
```

```
    print(x)
```

Options:

- A- 4
- B- 20
- C- 2
- D- 18

Answer:

D

Question 6

Question Type: MultipleChoice

Which of the following modules allows a programmer to specify and spawn new processes, connect to their input and output pipes, and retrieve returned data?

Options:

- A- pip
- B- urllib2
- C- subprocess
- D- prochandle

Answer:

C

Question 7

Question Type: MultipleChoice

Which of the lambda definitions of the function some_code is equivalent to the following function definition?

```
def some_code (invalue):  
    outvalue = invalue * 2  
    return outvalue
```

Which of the lambda definitions of the function `some_code` is equivalent to the following function definition?

Options:

A- `some_code = lambda outvalue:invalue*2`

B- `some_code = lambda invalue:outvalue*2`

C- `some code = lambda invalue:invalue*2`

Answer:

A

To Get Premium Files for GPYC Visit

<https://www.p2pexams.com/products/gpyc>

For More Free Questions Visit

<https://www.p2pexams.com/giac/pdf/gpyc>

