



**Free Questions for Sitecore-10-NET-Developer by
actualtestdumps**

Shared by Harper on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You are setting up a Sitecore instance without the use of SXA and want to accommodate three public-facing websites. Where would you map the correct Home item to its corresponding hostname?

Options:

- A- In the /system/settings section of the Master database
- B- In the Sitecore Core database's settings file
- C- In the Internet Information Services website definition settings
- D- In a config patch file located in the/App_Config/Include folder

Answer:

D

Question 2

Question Type: MultipleChoice

What is the purpose of a Sitecore Support Package?

Options:

- A-** To help Sitecore replicate an issue without needing to access the environment directly.
- B-** To let Sitecore Support Services access active logs running directly in the environment.
- C-** To make it easier for you to download update packages and install them into your environment.
- D-** To give Sitecore direct access to your environment for support purposes.

Answer:

A

Question 3

Question Type: MultipleChoice

You want to control the order in which patch files load. Which element could you use in the Layers.config file to accomplish this?

Options:

A- <configLayer>

B- <loadOrder>

C- <configLoad>

D-

Answer:

B

Question 4

Question Type: MultipleChoice

While using the Sitecore Install Assistant (SIA), you encounter the error below:

Based on the information provided in the image, what is the most likely reason for this install error?

- Welcome
- Prerequisites
- Install Solr
- Sitecore settings
- SQL Server settings
- Solr settings
- Optional modules
- Summary
- Validate
- **Install**

Install

Installing Sitecore with the settings you defined.

The installation failed

An error has occurred. For more information, see the log file.

Installation Status

[Log](#) | ^

[Error]: Unable to parse [variable('XConnectSolr_Core.Root')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.Server'), variable('XConnectSolr_Xdb.Name'))] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.FullRoot'), 'server', 'solr')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [resolvepath(parameter('XConnectSolr_SolrRoot'))] - Exception calling "InvokeWithContext" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Cannot find path 'C:\Solr\Solr-8.4.0' because it does not exist."****

[Error]: Unable to parse [variable('XConnectSolr_Core.Root')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.Server'), variable('XConnectSolr_Xdb.Name'))] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.FullRoot'), 'server', 'solr')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [resolvepath(parameter('XConnectSolr_SolrRoot'))] - Exception calling "InvokeWithContext" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Cannot find path 'C:\Solr\Solr-8.4.0' because it does not exist."****

[Error]: Unable to parse [variable('XConnectSolr_Core.Root')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.Server'), variable('XConnectSolr_Xdb.Name'))] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [joinpath(variable('XConnectSolr_Solr.FullRoot'), 'server', 'solr')] - Exception calling "Evaluate" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Unable to parse [resolvepath(parameter('XConnectSolr_SolrRoot'))] - Exception calling "InvokeWithContext" with "2" argument(s): "The running command stopped because the preference variable "ErrorActionPreference" or common parameter is set to Stop: Cannot find path 'C:\Solr\Solr-8.4.0' because it does not exist."****

Options:

- A- The Sitecore instance username/password were incorrect.
- B- The Solr install path was set incorrectly.
- C- The Solr service was stopped.
- D- The SQL server username/password were incorrect.

Answer:

B

Question 5

Question Type: MultipleChoice

You have been hired to create a company's website, and, as you prepare, you must define the data structures in Sitecore to create items and content. What should you use to define your data structures?

Options:

- A- Templates
- B- Config files
- C- SQL tables
- D- Renderings

Answer:

A

To Get Premium Files for Sitecore-10-NET-Developer Visit

<https://www.p2pexams.com/products/sitecore-10-net-developer>

For More Free Questions Visit

<https://www.p2pexams.com/sitecore/pdf/sitecore-10-net-developer>

