



**Free Questions for *A10-System-Administration* by
braindumpscollection**

Shared by *Murphy* on *22-07-2024*

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Device 1 is the vMaster in a virtual chassis. Select the command set that adds an IP address to VE interface 200 on device 3?

Options:

- A- interface ve 200 device 3 ip address 198.162.4.1 /24
- B- interface device-context 3 interface ve 200 ip address 198.162.4.1 /24
- C- interface ve 3/200 ip address 198.162.4.1 /24
- D- vcs device-context device 3 interface ve 200 ip address 198.162.4.1 /24

Answer:

C

Question 2

Question Type: MultipleChoice

You upgraded the boot image and changed the boot pointer to the new image using bootimage command. Which of the following operations will load the new image?

Options:

- A- reload
- B- restore
- C- system-reset
- D- shutdown --r
- E- restart
- F- reboot

Answer:

F

Question 3

Question Type: MultipleChoice

When VRRP-A is enabled on a device with multiple partitions, which statement about VRID 0 is correct?

Options:

- A-** Each partition has its own distinct VRID 0.
- B-** VRID 0 only exists in the shared partition; private partitions can only contain VRIDs numbered higher than 0.
- C-** VRID 0 is initially enabled only in the shared partition; partition administrators can enable VRID 0 in their partitions.
- D-** When using VRRP-A on a device with multiple partitions, VRID 0 is automatically disabled.

Answer:

A

Question 4

Question Type: MultipleChoice

Given the following VRID 2 configuration, which device will host the VRID after the three devices at the same time?

```
vrrp-a vrid 2
  device-context 1
    blade-parameters
      priority 200
  device-context 2
    blade-parameters
      priority 200
  device-context 3
    blade-parameters
      priority 200
```

Options:

A- Device 2

B- Device 1

C- VCS will randomly assign the VRID to a device based on the uptime of the device.

D- Device 3

E- The VRID will be hosted on all three devices at the same time.

Answer:

B

Question 5

Question Type: MultipleChoice

ACOS can log the following accounting records for administrative sessions:

Options:

A- device access attempts only

B- syslog errors of a specified severity level

C- device access and command entry attempts

D- command entry attempts only

E- syslog errors of severity greater than a specified level

Answer:

C

Question 6

Question Type: MultipleChoice

Select two aXAPI implementation use cases. (Choose two.)

Options:

A- Auto-syncing the configurations via virtual chassis.

B- Extract ACOS configurations or statistics from ACOS.

C- Perform deep packet inspection on traffic and redirect and modify content.

D- Writing scripts to automate configuration changes.

Answer:

B, D

To Get Premium Files for A10-System-Administration Visit

<https://www.p2pexams.com/products/a10-system-administration>

For More Free Questions Visit

<https://www.p2pexams.com/a10-networks/pdf/a10-system-administration>

