



Free Questions for 500-451 by certscare

Shared by Carpenter on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A customer wants to dynamically monitor the status of a critical route. Which feature should you recommend that the customer use?

Options:

- A- Wireshark
- B- Embedded Event Manager
- C- IP Service Level Agreement
- D- Generic Online Diagnostics

Answer:

C

Question 2

Question Type: MultipleChoice

When building the Security Group Egress Policy Matrix, what is the default policy regarding empty intersecting cells?

Options:

- A- enabled, SGACLs : permit IP
- B- enabled, SGACLs : deny IP
- C- disabled, SGACLs : permit IP
- D- disabled, SGACLs : deny IP

Answer:

A

Question 3

Question Type: MultipleChoice

When a user gets redirected to the device registration portal, which important information field is prepopulated by ISE?

Options:

- A- user's username
- B- user's first and last name
- C- device ID with IP address
- D- device ID with MAC address

Answer:

D

Question 4

Question Type: MultipleChoice

Before you implement BYOD onboarding, which two client provisioning resources should you download from Cisco.com to ISE?

Options:

- A- ISE posture agent profile, BYOD on-boarding profile

- B-** BYOD on-boarding profile, native supplicant profile
- C-** guest service portal agents, agent resources from Cisco cite
- D-** supplicant provisioning wizard, WebAgent

Answer:

D

Question 5

Question Type: MultipleChoice

When the Cisco Catalyst 3850 is configured as a wireless mobility agent, what must be true?

Options:

- A-** Cisco ISE must be joined to Microsoft AD
- B-** Access points must be connected directly to the Catalyst 3850.
- C-** Access points may be connected anywhere in the network.
- D-** The mobility controller must be CT5760.

Answer:

B

Question 6

Question Type: MultipleChoice

In the Converged Access solution, how does the controller display the access point name when there is no existing configuration for the AP?

Options:

- A- AP+IP address dotted decimal, for example, AP10.10.1.1
- B- AP+Ethernet MAC Address, for example, AP44d3:ca42.4337
- C- AP+IP address in hex, for example, AP0A.0A.01.01
- D- AP+Base Radio MAC Address, for example, AP18.33.9d.f1.40.50

Answer:

B

Question 7

Question Type: MultipleChoice

Which set of Converged Access components is related to "physical" entities?

Options:

- A- mobility agent, mobility controller, mobility oracle
- B- mobility controller, mobility groups, switch peer group
- C- mobility groups, switch peer group
- D- mobility oracle, switch peer group, mobility domain

Answer:

A

Question 8

Question Type: MultipleChoice

Which feature should you recommend if a customer has high-density wireless deployments and they want to monitor bandwidth consumption and manage network resource utilization?

Options:

A- CleanAir

B- Bonjour

C- ACL

D- AVC

Answer:

D

Question 9

Question Type: MultipleChoice

In the Cisco Unified Wireless Network infrastructure, which combination of devices and/or features best accomplishes high availability?

Options:

- A- backup controllers and client SSO
- B- backup controllers and LAG
- C- N+1 and client state replication
- D- N+1 and backup controllers

Answer:

A

Question 10

Question Type: MultipleChoice

Which access categories are defined in the Wi-Fi Alliance Wireless Multimedia certification?

Options:

- A- Voice, Video, Best Effort, Background

B- 802.11b, 802.11g, 802.11a, 802.11n

C- 802.11k, 802.11r, 802.11w, 802.11ac

D- Expedite Forwarding, Assured Forwarding, Data, Scavenger Traffic

Answer:

A

To Get Premium Files for 500-451 Visit

<https://www.p2pexams.com/products/500-451>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/500-451>

