# Question 1

In a rule using "Privileged Session Analysis and Response" in PTA, which session options are available to configure as responses to activities?

## Options:

**A-** Suspend, Terminate, None

**B-** Suspend, Terminate, Lock Account

**C-** Pause, Terminate, None

**D-** Suspend, Terminate

## Answer:

D

# Question 2

For each listed prerequisite, identify if it is mandatory or not mandatory to run the PSM Health Check.

| | | |
|---|---|---|
| Mandatory | Drag answer here | Mandatory |

**Answer:**

| | | |
|---|---|---|
| Not Mandatory | Drag answer here | Not Mandatory |

# Question 3

| | |
|---|---|
| A valid SSL certificate is installed on the Web Server | Drag answer here |

For Digital Vault Cluster in a high availability configuration, how does the cluster determine if a node is down?

| | |
|---|---|
| Web Server (IIS 8.5) role is installed | Drag answer here |

## Options:

**A-** The heartbeat s no longer detected on the private network.

**B-** The shared storage array is offline.

**C-** An alert is generated in the Windows Event log.

**D-** The Digital Vault Cluster does not detect a node failure.

**Answer:**

A

# Question 4

In the Private Ark client, how do you add an LDAP group to a CyberArk group?

## Options:

**A-** Select Update on the CyberArk group, and then click Add > LDAP Group

**B-** Select Update on the LDAP Group, and then click Add > LDAP Group

**C-** Select Member Of on the CyberArk group, and then click Add > LDAP Group

**D-** Select Member Of on the LDAP group, and then click Add > LDAP Group

## Answer:

A

# Question 5

How much disk space do you need on the server for a PAReplicate?

## Options:

**A-** 500GB

**B-** 1TB

**C-** same as disk size on Satellite Vault

**D-** same as disk size on Primary Vault

## Answer:

D

# Question 6

**Question Type: DragDrop**

Match the Status of Service on a DR Vault to what is displayed when it is operating normally in Replication mode.

| Running | Drag answer here | Running |
| Stopped | Drag answer here | Stopped |

**Answer:** Stopped

| PrivateArk Server | Drag answer here |
| CyberArk Vault Disaster Recovery | Drag answer here |
| Cyber-Ark Event Notification Engine | Drag answer here |

# Question 7

**Question Type: Multiple Choice**

You want to generate a license capacity report.

Which tool accomplishes this?

## Options:

**A-** Password Vault Web Access

**B-** PrivateArk Client

**C-** DiagnoseDB Report

**D-** RestAPI

## Answer:

B

# Question 8

The Privileged Access Management solution provides an out-of-the-box target platform to manage SSH keys, called UNIX Via SSH Keys.

How are these keys managed?

## Options:

**A-** CyberArk stores Private keys in the Vault and updates Public keys on target systems.

**B-** CyberArk stores Public keys in the Vault and updates Private keys on target systems.

**C-** CyberArk does not store Public or Private keys and instead uses a reconcile account to create keys on demand.

**D-** CyberArk stores both Private and Public keys and can update target systems with either key.

## Answer:

A

# Question 9

Match the connection component to the corresponding OS/Function.

| | | |
|---|---|---|
| Windows | Drag answer here | Windows |
| UNIX File Transfer | Drag answer here | UNIX File Transfer |
| UNIX | Drag answer here | UNIX |
| Database | Drag answer here | Database |
| Mainframe | Drag answer here | Mainframe |

**Answer**

# Question 10

You need to recover an account localadmin02 for target server 10.0.123.73 stored in Safe Team1.

What do you need to recover and decrypt the object? (Choose three.)

## Options:

**A-** Recovery Private Key

**B-** Recover.exe

**C-** Vault data

**D-** Recovery Public Key

**E-** Server Key

**F-** Master Password

## Answer:

A, D, E