



Free Questions for [CTIL-001](#) by [certscare](#)

Shared by [Leonard](#) on [22-07-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Which of the following are product risks and which are project risks?

- a. The navigation through some parts of the website may need to be different from others.
- b. Sprint 1 may not be completed on time, leading to a delay to the start of Sprint 2.
- c. Text versions of images may not always be possible.
- d. There may be a need to buy a capture-replay tool for regression testing.

key member of the team may leave before the Sprints have been completed.

Options:

- A-** a, b and c are product risks, d and e are project risks.
- B-** a and c are products risks, b, d and e are project risks.
- C-** b, c and e are product risks, a and d are project risks.
- D-** a, d and e are product risks, b and c are project risks.

Answer:

B

Question 2

Question Type: MultipleChoice

When creating the functional specification for the temperature control system, which of the following review types would be most recommended to resolve any issues?

Options:

A- A walkthrough.

B- A technical review.

C- A management review.

D- A code inspection.

Answer:

B

Question 3

Question Type: MultipleChoice

Which of the following test design techniques would be most suitable for testing that the oxygen is released at the required times?

Options:

- A- Decision Testing.
- B- Statement Testing.
- C- Data flow Testing.
- D- Boundary Value Analysis.

Answer:

D

Question 4

Question Type: MultipleChoice

Which of the following is an accurate depiction of the hierarchy of test management documentation (where the highest comes first)?

Options:

- A- Test policy-Test strategy-Project test plan-System test plan
- B- Test strategy-Test policy-Project test plan-System test plan
- C- Test policy-Project test plan-Test strategy-System test plan
- D- Project test plan-Test strategy-System test plan-Test policy

Answer:

A

Question 5

Question Type: MultipleChoice

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

Options:

- A- That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.
- B- That the functional specification accurately reflects requirements R1 and R2.
- C- That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.
- D- That the requirements for temperature control have been signed-off.

Answer:

C

Question 6

Question Type: MultipleChoice

Which one is a product risk associated with the air quality management system?

Options:

- A- The system required to monitor oxygen levels may be more expensive than those required to monitor air temperatures.

- B- Subsync may need to recruit extra developers and testers to deliver the project on time.
- C- Oxygen levels may reach dangerously low levels.
- D- Extreme temperatures may lead to heat exhaustion of personnel.

Answer:

C

Question 7

Question Type: MultipleChoice

You need to test that the rules have been correctly set up in the configuration table, according to the specification. Which one of the following test design techniques would be most suitable for this?

Options:

- A- Data flow testing.
- B- Statement testing.
- C- Decision table testing.

D- Boundary value analysis.

Answer:

C

Question 8

Question Type: MultipleChoice

Which of the following best describes a testing challenge of the application domain of the routers described?

Options:

- A-** Testing that the receivers PC can store emails routed to it.
- B-** Testing that large organisations can scan incoming files routed to them for viruses.
- C-** Testing that packets are delivered by the routers in the required timescales.
- D-** Testing that files can be sent in any language.

Answer:

C

Question 9

Question Type: MultipleChoice

Which of the following provides the best example of a product risk leading to a project risk?

Options:

- A-** The signalling systems may have more defects than anticipated, leading to the need for more retesting to be carried out.
- B-** There may be unexpected lags on the network traffic communication, causing drivers to slow the trains down unnecessarily.
- C-** The new development staff may require training for this type of system, which, if not carried out, may lead to an increase in the number of defects introduced.
- D-** The budget may need to be increased significantly during the project, otherwise there may be delays in the delivery of the system.

Answer:

A

Question 10

Question Type: MultipleChoice

Which of the following is the main purpose of an incident tracking process?

Options:

- A- To identify the average number of steps required to recreate each incident.
- B- To calculate the average turnaround times per defect.
- C- To identify the priority of each incident.
- D- To understand the status of each incident at any given time.

Answer:

D

Explanation:

Data is transmitted over the internet as a series of packets. Each packet is sent to its destination via the best available route. The decision on the best available route is made by a series of routers on the internet. In order to make the best decision on the route to take, the router:

1) Scans the destination address and matches it against rules set up in a configuration table. 2) Checks the performance of the primary connection to see if it is good enough to send the packet. If not, it seeks an alternative. Routers handle many millions of packets being sent at the same time. Packets can take the form of email messages, data files etc.

Question 11

Question Type: MultipleChoice

Which of the following activities should be carried out at the start of this process?

Options:

- A- Marketing of the service to as many people as possible to reduce the risk of poor revenues.
- B- Holding a workshop with as many stakeholders as possible to gain their views on the risks to the product and project.
- C- Meeting with the project manager to agree a bigger budget.
- D- Meeting with the development manager to agree defect fix turn-around times.

Answer:

B

Question 12

Question Type: MultipleChoice

Which of the following test design techniques would be most suitable for testing that the oxygen is released at the required times?

Options:

- A- Decision Testing.
- B- Statement Testing.
- C- Data flow Testing.
- D- Boundary Value Analysis.

Answer:

D

To Get Premium Files for CTIL-001 Visit

<https://www.p2pexams.com/products/ctil-001>

For More Free Questions Visit

<https://www.p2pexams.com/gaqm/pdf/ctil-001>

