



**Free Questions for NSE7\_OTIS-7.2 by certsinside**

**Shared by Fuentes on 24-05-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type: MultipleChoice**

---

Refer to the exhibits.

## Definition

### Key Applications Crossing The Network

### Application Categories

### Web Applications

### Web Categories In Use

### Application

## Key Applications Crossing The

The section below shows the top 30 application using, sorted by application category and techn session count. This provides a more complete v decision-making for overall application control p

#	Risk	Application Name	Category
1	2	IEC.60870.5.104_Supervisory.Functions	Industri
2	2	Modbus_Diagnosti cs	Industri

Figure 4: Top applications that are consi

### Files/File Types Transferred by Applications

### Recommended Actions

### About FortiGuard Key Services

### Web Applications

### Web Categories In Use

### Application

### Vulnerability Exploits

### Malware: Viruses, Bots, Spyware/Adware

### Zero-day Attacks Detected On The Network

## Files/File Types Transferred

Applications that have ability to transfer f int applications. Knowing which types of files a to mitigate the risk by setting up approp Fortinet next generation firewall system.

The section below lists the most common file

#	File Name	U
1	0e 01 01 00 00 03 00 07 53 69 65 6d 6 c 5 6e 73 01 07 53 49 4d 41 54 49 43 02 06 53 37 2d 32 30 30	
2	01 06 00 2a 04 05 00 00 cd eb f5 c6 0 c 0	
3	01 06 00 00 04 05 00 00 cd f0 d7 c5 0 c 0	
4	01 06 00 13 04 05 00 00 33 f7 30 46 0 c 0	
5	01 06 00 1e 04 05 00 00 cd 4c 2d c3 0 c 0	
6	01 06 00 29 04 05 00 00 00 90 2a c5 0 c 0	
7	01 06 00 04 04 05 00 00 cd 7a 21 c6 0 c 0	

Which statement about some of the generated report elements from FortiAnalyzer is true?

**Options:**

---

- A-** The report confirms Modbus and IEC 104 are the key applications crossing the network.
- B-** FortiGate collects the logs and generates the report to FortiAnalyzer.
- C-** The file types confirm the infected applications on the PLCs.
- D-** This report is predefined and is not available for customization.

**Answer:**

---

A


## Question 2

---

**Question Type:** MultipleChoice

---

Refer to the exhibit.



Which statement is true about application control inspection?

**Options:**

---

- A- The industrial application control inspection process is unique among application categories.
- B- Security actions cannot be applied on the lowest level of the hierarchy.

- C-** You can control security actions only on the parent-level application signature
- D-** The parent signature takes precedence over the child application signature.

**Answer:**

---

C

## Question 3

---

**Question Type: MultipleChoice**

---

Which statement about the IEC 104 protocol is true?

**Options:**

---

- A-** IEC 104 is used for telecontrol SCADA in electrical engineering applications.
- B-** IEC 104 is IEC 101 compliant in old SCADA systems.
- C-** IEC 104 protects data transmission between OT devices and services.
- D-** IEC 104 uses non-TCP/IP standards.

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

The OT network analyst run different level of reports to quickly explore failures that could put the network at risk. Such reports can be about device performance. Which FortiSIEM reporting method helps to identify device failures?

**Options:**

---

- A- Business service reports
- B- Device inventory reports
- C- CMDB operational reports
- D- Active dependent rules reports

**Answer:**

---

C


## Question 5

---

Question Type: MultipleChoice

---

Refer to the exhibit.



In order for a FortiGate device to act as router on a stick, what configuration must an OT network architect implement on FortiGate to achieve inter-VLAN routing?

### Options:

---

A- Set a unique forward domain on each interface on the network.



- B-** Set FortiGate to operate in transparent mode.
- C-** Set a software switch on FortiGate to handle inter-VLAN traffic.
- D-** Set a FortiGate interface with the switch to operate as an 802.1 q trunk.

**Answer:**

---

D

## Question 6

---

**Question Type:** MultipleChoice

---

Which three Fortinet products can you use for device identification in an OT industrial control system (ICS)? (Choose three.)

**Options:**

---

- A-** FortiSIEM
- B-** FortiManager
- C-** FortiAnalyzer
- D-** FortiGate

E- FortiNAC

**Answer:**

---

A, D, E

**To Get Premium Files for NSE7\_OTIS-7.2 Visit**

[https://www.p2pexams.com/products/nse7\\_ots-7.2](https://www.p2pexams.com/products/nse7_ots-7.2)

**For More Free Questions Visit**

<https://www.p2pexams.com/fortinet/pdf/nse7-ots-7.2>

