



Free Questions for VCS-261 by certsinside

Shared by Pollard on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which command should an administrator use to determine the SmartIO cache hit ratio for the /data file system?

Options:

- A- vxcache stat /data
- B- sfcache stat /data
- C- vxstat smartio /data
- D- vxioadm stat /data

Answer:

B

Question 2

Question Type: MultipleChoice

Which benefit is acquired using SmartTier?

Options:

- A-** the one-time assignment of application files to a storage class
- B-** the automatic migration of files between storage types based on file system type
- C-** the migration of files in response to application downtime
- D-** the transparent move of data based on policies that implement business requirements

Answer:

A

Question 3

Question Type: MultipleChoice

Given the following command:

```
vxassist -g datadg make datavol 10g layout=stripe !ctrl:c2
```

Which instruction does the !ctrl:c2 attribute prompt Volume Manager to follow?

Options:

- A- to exclude devices connected to controller c2
- B- to exclude devices connected to all controllers except c2
- C- to exclude devices from enclosure named "ctrl"
- D- to exclude all but the fastest devices from controller c2

Answer:

D

Question 4

Question Type: MultipleChoice

Which two values for the srlprot attribute will stall the writes on the operating system when the RLINK is Connected (Choose two.)

Options:

A- autodcm

B- dcm

C- fail

D- override

E- off

Answer:

B, D

Question 5

Question Type: MultipleChoice

Which Veritas Volume Manager (VxVM) disk format should an administrator use to allow a disk to be portable between operating systems?

Options:

A- Simple Disk

B- Partitioned Disk

C- CDS Disk

D- Sliced Disk

Answer:

C

Question 6

Question Type: MultipleChoice

Veritas File System is an extent based file system.

Which two pieces of information form the basis of an extent? (Choose two.)

Options:

A- inode number

B- offset

C- length

D- format

E- block size

Answer:

A, B

Question 7

Question Type: MultipleChoice

Refer to the exhibit.

v	datavol	-	ENABLED	ACTIVE	2097152	SELECT	datavol-03	fsgen
p1	datavol-03	datavol	ENABLED	ACTIVE	2097152	STRIPE	2/128	RW
sv	datavol-S01	datavol-03	datavol-L01	1	1048576	0/0	2/2	ENA
v2	datavol-L01	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol - P01	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg01-02	datavol-P01	datadg01	0	1048576	0	hds9500-alua0_6	ENA
p2	datavol-P02	datavol-L01	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg03-02	datavol-P02	datadg03	0	1048576	0	hds9500-alua0_8	ENA
sv	datavol-S02	datavol-03	datavol-L02	1	1048576	1/0	2/2	ENA
v2	datavol-L02	-	ENABLED	ACTIVE	1048576	SELECT	-	fsgen
p2	datavol-P03	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg02 - 02	datavol-P03	datadg02	0	1048576	0	hds9500-alua0_7	ENA
p2	datavol-P04	datavol-L02	ENABLED	ACTIVE	1048576	CONCAT	-	RW
s2	datadg04-02	datavol-P04	datadg04	0	1048576	0	hds9500-alua0_9	ENA

What is the layout of the volume described in the vxprint output provided in the exhibit?

Options:

- A-** mirrored volume with each mirror made up of concatenated subdisks (mirror-concat)
- B-** mirrored volume with each mirror made up of striped subdisks (mirror-stripe)
- C-** layered volume striped across mirrored subvolumes (stripe-mirror)
- D-** layered volume formed by concatenation of mirrored subvolumes (concat-mirror)

Answer:

B

Question 8

Question Type: MultipleChoice

Which two commands are used for thin reclamation? (Choose two.)

Options:

- A- fsadm
- B- vxdctl
- C- vxdisk
- D- vxtune
- E- vxdmpadm

Answer:

A, C

Question 9

Question Type: MultipleChoice

Which object is stored in the private region of a Veritas Volume Manager disk?

Options:

- A- File Change Log
- B- FastResync maps
- C- Configuration database
- D- Storage Replicator Log

Answer:

C

Question 10

Question Type: MultipleChoice

Which two requirements must an administrator consider prior to implementing SmartIO? (Choose two.)

Options:

- A- The device must have CDS disk format.
- B- Veritas file system (VxFS) disk layout must be version 9.
- C- Three nodes are required for VxFS writeback caching.
- D- Veritas Volume Manager (VxVM) disk group must be version 180.
- E- Cache must be local to each node.

Answer:

C, E

To Get Premium Files for VCS-261 Visit

<https://www.p2pexams.com/products/vcs-261>

For More Free Questions Visit

<https://www.p2pexams.com/veritas/pdf/vcs-261>

