



Free Questions for 300-825 by dumpshq

Shared by Moreno on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

To which two places should an administrator go to view an upcoming meeting scheduled on Cisco Meeting Server? (Choose two.)

Options:

- A- Cisco Meeting Server MMP interface
- B- Cisco Meeting Management meetings interface
- C- Cisco Meeting Server web user interface
- D- Cisco Meeting Server API
- E- Cisco TMS interface

Answer:

B, C

Question 2

Question Type: MultipleChoice

What is the default maximum resolution for the internal streamer?

Options:

A- 720p

B- 1440p

C- 1080p

D- 480p

Answer:

C

Question 3

Question Type: MultipleChoice

An administrator performs a major upgrade of a Cisco Meeting Server cluster that contains multiple database nodes. Which step ensures that the Call Bridge can use the database?

Options:

- A- The command database cluster initialize must be run on the master database node.
- B- The master database node must be the first server to complete the upgrade process.
- C- The command database cluster upgrade_schema must be run on the master database node.
- D- The master database node must create a new database cluster and join the peer servers.

Answer:

A

Question 4

Question Type: MultipleChoice

A customer has a collaboration solution on-premises and is considering a cloud solution for the enterprise. Which collaboration method should be deployed to protect the existing investment and extend collaboration to the cloud?

Options:

- A- Continue to use the on-premises solution and add a cloud solution in parallel.

- B-** Refresh hardware and software with the latest releases.
- C-** Decommission on-premises equipment and flash cut to a cloud solution.
- D-** Move to a hybrid that integrates an existing solution with a cloud solution.

Answer:

D

Question 5

Question Type: MultipleChoice

An engineer configures Cisco Meeting Server with Expressway for external web app access and must enable participants to use the web app to join conferences that are hosted on the meeting server. Which service should be used in the Expressway-E accomplish this goal?

Options:

- A-** Cisco Meeting Server
- B-** SIP
- C-** XMPP server

D- TURN

Answer:

D

Question 6

Question Type: MultipleChoice

After performing an upgrade of the Cisco Meeting Server cluster, an engineer sees an error message indicating that Cisco Meeting Server is not licensed. Also, no spaces or users show in the GUI. What should be done to resolve this issue?

Options:

- A-** The database cluster upgrade_schema command must be run on the new database cluster master.
- B-** The Cisco Meeting Server nodes must be re-upgraded using the same file to upgrade all nodes.
- C-** The Cisco Meeting Server nodes must be re-upgraded with the database master being first and then all peers.
- D-** New database certificates must be generated for each peer in the cluster.

Answer:

A

Question 7

Question Type: MultipleChoice

An administrator notices that the Cluster section is not available under the configuration menu in the Cisco Meeting Server web interface. There are three Cisco Meeting Server servers that must run Call Bridge and database services in a single cluster. Which configuration should be completed?

Options:

- A-** Certificates must be configured on the Call Bridge.
- B-** Call Bridge groups must be created in the API.
- C-** Call Bridges must be connected to a database cluster.
- D-** Call Bridge clustering must be configured in the CLI.

Answer:

D

Question 8

Question Type: MultipleChoice

Refer to the exhibit.

DNS lookup

DNS lookup

Host ⓘ

Query type ⓘ

Lookup

Query type	Name	Type	Response
SRV	_cms-web._tls.join.darmckin.local.	SRV	0 0 445 cms1.darmckin.local.

An administrator configures Expressway-C to act as a proxy for a Cisco Meeting Server web app. Which configuration must exist on the Cisco Meeting Server that runs the web app to complete this integration?

Options:

- A- web app running on port 445
- B- HTTP redirect disabled on the web app
- C- matching authentication combinations on the web app and Expressway-C
- D- Common Name of "_cms-web._tls.join.darmckin.local" on the certificate in use

Answer:

D

Question 9

Question Type: MultipleChoice

In the Cisco TMS GUI, a Cisco UCM registered system shows these error details:

Provisioning mode is set to Cisco UCM for this system.

The system cannot be refreshed or scheduled.

To manage this system as a Cisco TMS system, the provisioning mode needs to be changed to Cisco TMS.

To add the system as Cisco UCM managed system, it must be added through the Cisco UCM that is provisioning the system.

What should be done to resolve this error?

Options:

- A-** Purge the system in Cisco TMS and add the system back directly to Cisco TMS using "Add by IP Address".
- B-** Restart Microsoft IIS on the Windows server that hosts Cisco TMS and perform a "Force Refresh" on the system.
- C-** Delete the system and add the system back with the "Add from Cisco UCM or Cisco TMS" option.
- D-** Update the credentials for the system in Cisco TMS.

Answer:

C

To Get Premium Files for 300-825 Visit

<https://www.p2pexams.com/products/300-825>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/300-825>

