



Free Questions for 500-230 by certscare

Shared by Patel on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which command is an example of how to configure system logging to a Syslog server?

Options:

- A- logging 172.21.116.27
- B- syslog server1
- C- logging syslog-server 172.21.116.27
- D- enable syslog server1

Answer:

A

Question 2

Question Type: MultipleChoice

Which is required on the CE router in an L3VPN solution?

Options:

- A- Configure the PE-CE Routing protocol
- B- Define the VPN by creating a VRF
- C- Assign the PE facing interface to a VRF
- D- Configure MPLS forwarding on the interface to the PE router

Answer:

A

Question 3

Question Type: MultipleChoice

Which method or protocol exchanges label information?

Options:

A- MP-BGP

B- MOSPF

C- LSR

D- OSPFv3

Answer:

A

Question 4

Question Type: MultipleChoice

How many times are Layer 3 lookups performed on a packet transiting a CRS or ASR9k router?

Options:

A- Three times: in the ingress linecard, the fabric, and the egress linecard

- B-** Once: in the active RP/RSP
- C-** Once: in the ingress linecard
- D-** Twice: in the ingress linecard and again in the egress linecard

Answer:

A

Question 5

Question Type: MultipleChoice

What command is used to manually generate a core dump to aid in troubleshooting a process?

Options:

- A-** context
- B-** dumpcore
- C-** exception
- D-** follow

Answer:

C

Question 6

Question Type: MultipleChoice

Which command is used to redistribute BGP into EIGRP for a Layer 3 VPN customer?

Options:

A- router(config-eigrp-af)# redistribute bgp 65001

B- router(config-eigrp-vrf-af)# redistribute bgp 65001

C- rouur(config-eigrp-vrf)# redistribute bgp 65001

D- router(config-eigrp)# redistribute bgp 65001

Answer:

B

Question 7

Question Type: MultipleChoice

Which command is similar to the Unix TOP command to display process utilization information?

Options:

A- show

B- trace processes

C- show process dynamic

D- monitor processes

Answer:

D

Question 8

Question Type: MultipleChoice

One of your peers show in the SHOW BGP VPNV4 UNICAST SUMMARY output

What is the cause of this?

Options:

- A-** The label value ranges are mismatched.
- B-** The peer has no prefixes with a Route-Target that the local router is importing.
- C-** The BGP prefixes between the routers have not fully converged and will correct itself in time.
- D-** The peer router is not configured to use the VPNv4 address-family for this connection.

Answer:

D

Question 9

Question Type: MultipleChoice

What is the TRACE command?

Options:

- A-** A packet tracer showing the path of a packet from ingress to egress in the router.
- B-** The replacement for TraceRoute in IOS-XR.
- C-** A form of always-on debugging available for a subset of commands.
- D-** Exactly the same as the debug command, must be explicitly turned on.

Answer:

C

To Get Premium Files for 500-230 Visit

<https://www.p2pexams.com/products/500-230>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/500-230>

