



Free Questions for 500-901 by ebraindumps

Shared by Wolf on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Where can World Wide Node Name be defined?

Options:

- A- In neither vHBA template nor SAN connectivity policy
- B- In vHBA template only
- C- In SAN connectivity policy only
- D- In both. vHBA template or SAN connectivity policy

Answer:

B

Question 2

Question Type: MultipleChoice

Your System BIOS have 'Hyper Threading enabled However, create a BIOS that has 'Hyper Threading disabled. You attached this BIOS Policy to a Service profile and associated this Profile to the Server. What action will occur next?

Options:

- A-** The System BIOS takes precedence over the BIOS Policy, so 'Hyper Threading' will remain enabled
- B-** The BIOS Policy takes precedence over the System BIOS, so 'Hyper Threading will be disabled
- C-** The UCS Server will fail due to a mismatch configuration
- D-** Some BIOS settings cannot be changed in UCS Servers. 'Hyper Threading' is one of them

Answer:

B

Question 3

Question Type: MultipleChoice

What aspect of Cisco UCS servers enables multi-tenancy and provides an administrative hierarchy to organize resources?

Options:

- A- Resource pools
- B- Organizations
- C- Service profile templates
- D- Service profiles

Answer:

B

Question 4

Question Type: MultipleChoice

Which tools is Osco recommended to help customers' provision physical, virtual, and multivendor data center infrastructure environments from a single pane?

Options:

- A- Cisco UCS Director

- B-** Cisco UCS Performance Manager
- C-** Cisco UCS Manager
- D-** Cisco UCS Central

Answer:

C

Question 5

Question Type: MultipleChoice

Which Statement is true regarding vNIC Templates and LAN connectivity Policy?

Options:

- A-** Network identities for LAN connectivity policy must be pool derived
- B-** We can add VLANs to the vNIC template at any time
- C-** We do not need MAC address pool for vNIC Templates
- D-** vNIC templates must be created first and then used as a part of the LAN Connectivity Policy

Answer:

D

Question 6

Question Type: MultipleChoice

What is a Universally Unique Identifier in the context of Cisco Unified Computing System?

Options:

- A-** A unique identifier used w identify an object of entity on the internet
- B-** A unique identifier used in server profiles enabling server mobility
- C-** A unique identifier used in application profiles enabling server mobility.
- D-** A unique identifier used m service profiles enacting server mobility

Answer:

D

Question 7

Question Type: MultipleChoice

When two QoS classes are enabled by default on Cisco's UCS servers? (Choose two)

Options:

- A- Silver
- B- Platinum
- C- Best Effort
- D- Fibre Channel n
- E- Bronze

Answer:

C, D

To Get Premium Files for 500-901 Visit

<https://www.p2pexams.com/products/500-901>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/500-901>

