



**Free Questions for 1Y0-241 by go4braindumps**

**Shared by Marsh on 24-05-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

## Question Type: MultipleChoice

---

Which Citrix ADC monitor can a Citrix Administrator use to check the authentication service of the Active Directory (AD) domain controller?

### Options:

---

- A-** An LDAP monitor with the LDAP Script Name, Configured Base DN, Bind DN, Filter, Attribute and Password parameters in the basic parameters.
- B-** A ping monitor with the IP address of the AD domain controller in the special parameters
- C-** A MYSQL-ECV monitor with the Base DN, Bind DN, Filter, Attribute, and Password parameters configured in the basic parameters
- D-** A TCP monitor with the LDAP Base DN configured in the basic parameters.

### Answer:

---

A

### Explanation:

---

<https://docs.citrix.com/en-us/citrix-adc/current-release/load-balancing/load-balancing-builtin-monitors/monitor-ldap-services.html>

## Question 2

---

**Question Type:** MultipleChoice

---

Scenario: A Citrix Administrator executed the following command in a global server load balancing (GSLB) environment:

```
set gslb site SiteB --triggerMonitor MEPDOWN
```

What will be the effect of this command on the default service monitoring behavior on a remote site?

### Options:

---

- A-** The service monitor is invoked only when Metric Exchange Protocol (MEP) has marked the service as DOWN.
- B-** The service monitor is invoked only when Metric Exchange Protocol (MEP) connectivity has been lost between Site A and Site B.
- C-** The service monitor will take precedence over Metric Exchange Protocol (MEP).
- D-** The state of the GSLB service will always be controlled by Metric Exchange Protocol (MEP).

### Answer:

---

A

## Question 3

---

### Question Type: MultipleChoice

---

A Citrix Administrator configured global server load balancing (GSLB) for www.citrix.com, with two ADNS services named Citrix ADC 1 and Citrix ADC 2 in the setup.

Which record does the administrator need to add on the parent DNS server to delegate requests from www.citrix.com to Citrix ADC 1 and Citrix ADC 2?

#### Options:

---

- A- Canonical Name (CNAME)
- B- Address (A) record
- C- Name Server (NS) record
- D- Pointer Record (PTR)

#### Answer:

---

C

#### Explanation:

---

## Question 4

---

### Question Type: MultipleChoice

---

Scenario: While using the GUI, a Citrix ADC MPX appliance becomes unresponsive. A Citrix Administrator needs to restart the appliance and force a core dump for analysis.

What can the administrator do to accomplish this?

### Options:

---

- A- Turn off the appliance using the power button.
- B- Use the reset button on the front of the appliance.
- C- Use the NMI button on the back of the appliance.
- D- Connect to a USB port to issue a restart command.

### Answer:

---

C

**Explanation:**

---

<https://support.citrix.com/article/CTX120660>

## Question 5

---

**Question Type: MultipleChoice**

---

A Citrix Administrator receives user complaints about latency while accessing an application that is load balanced on the Citrix ADC.

Which tool can the administrator use to gather information regarding response time, client network latency, and server-side processing time?

**Options:**

---

**A-** Citrix Application Delivery Management (ADM)

**B-** HDX Insight

**C-** WAN Insight

**D-** Security Insight

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

Scenario: A Citrix Administrator gives permissions to team members to access their own admin partition. This will allow them to add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member typing to use the command line interface (CLI) to troubleshoot an authentication issue could NOT use `aaad.debug`. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

**Options:**

---

**A-** The team member is NOT using the CLI correctly.

- B-** The team member needs to troubleshoot the issue from the GUI.
- C-** The team member does NOT have permission to use the CLI.
- D-** The team member does NOT have shell access by design.

**Answer:**

---

D

**Explanation:**

---

<https://docs.citrix.com/en-us/citrix-adc/current-release/admin-partition.html>

## Question 7

---

**Question Type:** MultipleChoice

---

Which Citrix ADC Access Control List (ACL) command can a Citrix Administrator use to bridge traffic originating from the IP address 192.168.10.200?



### Options:

---

A- add ns simpleacl6

B- add ns simpleacl

C- add ns acl

D- add ns acl6

### Answer:

---

C

### Explanation:

---

<https://developer-docs.citrix.com/projects/citrix-adc-command-reference/en/latest/ns/ns-acl/>

## Question 8

---

### Question Type: MultipleChoice

---

A Citrix Administrator needs to match the host name 'www.example.com' in all HTTP requests.

Which expression, when used, meets this requirement?

**Options:**

---

- A- HTTP.REQ.HOSTNAME.EQ("www.example.com")
- B- HTTP.RES.HOSTNAME.EQ("www.example.com")
- C- HTTP.REQ.HOSTNAME("example.com")
- D- HTTP.RES.HOSTNAME.CONTAINS("www.example.com")

**Answer:**

---

A

## Question 9

---

**Question Type: MultipleChoice**

---

What is the first thing a Citrix Administrator should develop when creating a server certificate for Citrix ADC to secure traffic?

**Options:**

---

**A-** A private key

**B-** A certificate revocation list (CRL)

**C-** A certificate signing request (CSR)

**D-** A certificate key-pair

**Answer:**

---

A

**Explanation:**

---

<https://docs.citrix.com/en-us/citrix-adc/current-release/ssl/how-to-articles/create-and-use-ssl-certificates-on-a-citrix-adc-appliance.html>

**To Get Premium Files for 1Y0-241 Visit**

**<https://www.p2pexams.com/products/1y0-241>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/citrix/pdf/1y0-241>**

