



Free Questions for [CWAP-403](#) by [braindumpscollection](#)

Shared by [Holt](#) on [22-07-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

Which one of the following is required for Wi-Fi integration in laptop-based Spectrum Analyzer software?

Options:

- A- A supported WLAN adaptor with a customized driver
- B- Any 802.11 wireless adaptor
- C- A dual radio spectrum analyzer card
- D- SNMP read credentials to the WLAN controller or APs

Answer:

C

Question 2

Question Type: MultipleChoice

802.11k Neighbor Requests and Neighbor Reports are sent in what type of Management Frames?

Options:

- A- RRM
- B- Action
- C- Beacon
- D- Reassociation Request and Reassociation Response

Answer:

C

Question 3

Question Type: MultipleChoice

The network administrator at ABC Engineering has taken a large packet capture from one of their APs running in monitor mode. She has very little knowledge of 802.11 protocols but would like to use the capture file to evaluate the overall health and performance of their wireless network. When she asks your advice, which tool do you recommend she opens the packet capture file with?

Options:

- A- Capture visualization tool
- B- Protocol analyzer
- C- Spectrum analyzer
- D- WLAN scanner

Answer:

B

Question 4

Question Type: MultipleChoice

Which one of the these is the most important in the WLAN troubleshooting methodology among those listed?

Options:

- A- Interview the network manager about the issues being experienced

- B-** Talk to the end users about their experiences
- C-** Observe the problem
- D-** Obtain detailed knowledge of the wireless vendors debug and logging options

Answer:

C

Question 5

Question Type: MultipleChoice

Protocol analyzers may present field values in either binary, decimal or hexadecimal. What precedes a hexadecimal value to indicate it is hexadecimal?

Options:

A- 0x

B- %

C- HEX

D- 16x

Answer:

A

Question 6

Question Type: MultipleChoice

You are performing a multiple adapter channel aggregation capture to troubleshoot a VoIP roaming problem and would like to measure the roaming time from the last VoIP packet sent on the old AP's channel to the first VoIP packet sent on the new AP's channel. Which timing column in the packet view would measure this for you?

Options:

A- Delta

B- Absolute

C- Roaming

D- Relative

Answer:

C

Question 7

Question Type: MultipleChoice

When configuring a long term, forensic packet capture and saving all packets to disk which of the following is not a consideration?

Options:

A- Total capture storage space

B- Individual trace file size

C- Real-time packet decodes

D- Analyzer location

Answer:

B

To Get Premium Files for CWAP-403 Visit

<https://www.p2pexams.com/products/cwap-403>

For More Free Questions Visit

<https://www.p2pexams.com/cwnp/pdf/cwap-403>

