



Free Questions for PAM-DEF by certscare

Shared by Burke on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A user is receiving the error message "ITATS006E Station is suspended for User jsmith" when attempting to sign into the Password Vault Web Access (PVWA). Which utility would a Vault administrator use to correct this problem?

Options:

- A- createcredfile.exe
- B- cavaultmanager.exe
- C- PrivateArk
- D- PVWA

Answer:

C

Question 2

Question Type: MultipleChoice

What is the purpose of the PrivateArk Database service?

Options:

- A- Communicates with components
- B- Sends email alerts from the Vault
- C- Executes password changes
- D- Maintains Vault metadata

Answer:

D

Question 3

Question Type: MultipleChoice

Which user is automatically added to all Safes and cannot be removed?

Options:

- A- Auditor
- B- Administrator
- C- Master
- D- Operator

Answer:

C

Question 4

Question Type: MultipleChoice

Which service should NOT be running on the DR Vault when the primary Production Vault is up?

Options:

- A- PrivateArk Database

- B-** PrivateArk Server
- C-** CyberArk Vault Disaster Recovery (DR) service
- D-** CyberArk Logical Container

Answer:

B

Question 5

Question Type: MultipleChoice

PTA can automatically suspend sessions if suspicious activities are detected in a privileged session, but only if the session is made via the CyberArk PSM.

Options:

- A-** True
- B-** False, the PTA can suspend sessions whether the session is made via the PSM or not

Answer:

B

Question 6

Question Type: MultipleChoice

What is the purpose of the CyberArk Event Notification Engine service?

Options:

- A- It sends email messages from the Central Policy Manager (CPM)
- B- It sends email messages from the Vault
- C- It processes audit report messages
- D- It makes Vault data available to components

Answer:

D

Question 7

Question Type: MultipleChoice

What is the purpose of the password change process?

Options:

- A- To test that CyberArk is storing accurate credentials for accounts
- B- To change the password of an account according to organizationally defined password rules
- C- To allow CyberArk to manage unknown or lost credentials
- D- To generate a new complex password

Answer:

B

Question 8

Question Type: MultipleChoice

When a DR Vault Server becomes an active vault, it will automatically fail back to the original state once the Primary Vault comes back online.

Options:

- A- True; this is the default behavior
- B- False; this is not possible
- C- True, if the AllowFailback setting is set to "yes" in the padr.ini file
- D- True, if the AllowFailback setting is set to "yes" in the dbparm.ini file

Answer:

B

Question 9

Question Type: MultipleChoice

Which of these accounts onboarding methods is considered proactive?

Options:

- A- Accounts Discovery
- B- Detecting accounts with PTA
- C- A Rest API integration with account provisioning software
- D- A DNA scan

Answer:

B

To Get Premium Files for PAM-DEF Visit

<https://www.p2pexams.com/products/pam-def>

For More Free Questions Visit

<https://www.p2pexams.com/cyberark/pdf/pam-def>

