

# Free Questions for DEA-5TT1 by ebraindumps

Shared by Malone on 24-05-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

**Question Type:** MultipleChoice

Which port and protocol is used by NTP to communicate?

### **Options:**

- A- TCP port 123 for both the source and destination
- B- TCP port 123 for the source and TCP port 80 for the destination
- C- UDP port 123 for both the source and destination
- D- UDP port 123 for the source and TCP port 80 for the destination

#### **Answer:**

С

## **Question 2**

**Question Type:** MultipleChoice

What is the valid range assigned to a client during a TCP connection?

### **Options:**

**A-** 20 - 25

**B-** 443 - 1000

**C-** 1023 - 2024

D- 40000 - 65535

#### **Answer:**

D

# **Question 3**

**Question Type:** MultipleChoice

Which option is used to configure Network Address Translation (NAT) to provide one-to-one mapping between local and global addresses?

Options:
A- Outside source static
B- Overload
C- Inside source static
D- PAT
Answer:
C
Question 4
Question Type: MultipleChoice
Which topology is considered a best practice when stacking switches?
Options:
A- Ring

- **B-** Cascade
- C- Serial
- **D-** Daisy-chain

#### **Answer:**

Α

## **Question 5**

**Question Type:** MultipleChoice

What are Network Address Translation (NAT) inside global addresses?

### **Options:**

- A- Addresses used by NAT router when sending frames to devices on the local network
- B- Public IP addresses used by the local network to communicate with the Internet
- **C-** Private IP addresses used by the local network
- D- Pubic addresses used by other networks outside of the local network

Answer:	
В	
Question 6	
Question Type: MultipleChoice	
How is a switch different from a hub?	
Options:	
A- A switch operates at a lower, more efficient layer of the OSI model.	
B- A switch tracks MAC addresses of all connected devices.	
C- A switch decreases the number of broadcast storms.	
D- A switch does not include any latency into the frame transfer time.	

**Answer:** 

В

# **Question 7**

**Question Type:** MultipleChoice

On Switch A, a static route has been redistributed into OSPF. Which type of OSPF router will this process make Switch A?

### **Options:**

- A- Autonomous System Boundary Router (ASBR)
- B- Designated router (DR)
- C- Area Border Router (ABR)
- D- Backbone Router (BR)

#### **Answer:**

Α

### **Question 8**

**Question Type:** MultipleChoice

Options:	
A- Store-and-forward	
B- Fragment-free	
C- Unicast	
D- Cut-through	
Answer:	
D	
Question 9	
Question Type: MultipleChoice	

Which Ethernet frame forwarding method works best when the outbound ports run at the same speed as the inbound port?

Which IPv4 address is in the same network as the IP address 182.15.24.40/23 and assignable to a host device?

### **Options:**

- **A-** 182.15.23.224
- **B-** 182.15.25.0
- **C-** 182.15.25.255
- D- 182.15.26.10

#### **Answer:**

В

### **To Get Premium Files for DEA-5TT1 Visit**

https://www.p2pexams.com/products/dea-5tt1

### **For More Free Questions Visit**

https://www.p2pexams.com/dell-emc/pdf/dea-5tt1

