



**Free Questions for E20-594 by ebraindumps**

**Shared by Winters on 24-05-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

You are configuring a utility node for a multinode RAIN system with four 3.3 TB nodes. How many LUNs should be configured for the utility node?

**Options:**

---

A- 1

B- 2

C- 3

D- 4

**Answer:**

---

A

## Question 2

---

**Question Type:** MultipleChoice

---

By default, what does the asktime utility do when executed on the utility node?

**Options:**

---

- A- Configures the current time on the utility node and on all storage nodes
- B- Reports the NTP server's current time
- C- Reports the time on the execution node
- D- Configures the current time on the execution node only

**Answer:**

---

A

## Question 3

---

**Question Type:** MultipleChoice

---

What is the name of the default administration account in EMC Avamar Administrator?

**Options:**

---

A- Administrator

B- MCUser

C- dpn

D- admin

**Answer:**

---

B

## Question 4

---

**Question Type: MultipleChoice**

---

You have just completed a successful EMC Avamar server software installation. Which component would have to be started manually?

**Options:**

---

A- backup scheduler

**B-** gsan

**C-** MCS

**D-** EMS

**Answer:**

---

A

## Question 5

---

**Question Type:** MultipleChoice

---

Which node types can be defined with the EMC Avamar dpnnetutil command?

**Options:**

---

**A-** Storage, utility, access, accelerator, and spare

**B-** Storage, utility, access, and spare only

**C-** Storage, accelerator, and spare only

**D-** Storage, access, and spare only

**Answer:**

---

A

## Question 6

---

**Question Type:** MultipleChoice

---

The mapall command reports an error with node 0.1. Using the probe.xml file shown below, what is the IP address of this node?

**Options:**

---

**A-** 10.6.249.87

**B-** 10.6.249.88

**C-** 10.6.249.89

**D-** 10.6.249.90

**Answer:**

---

C

## Question 7

---

**Question Type:** MultipleChoice

---

Which component should be stopped and started, before and after specifying the e-mail home smtp server?

**Options:**

---

A- MCS

B- gsan

C- EMS

D- dtlt

**Answer:**

---

A

## Question 8

---

**Question Type:** MultipleChoice

---



When fully configured and enabled in its default configuration, how frequently does the EMC Avamar Email Home feature send information to EMC?

**Options:**

---

- A- Twice a day
- B- Once an hour
- C- Once a day
- D- Twice an hour

**Answer:**

---

A

## Question 9

---

**Question Type:** MultipleChoice

---

How many LUNs should be configured on a single-node EMC Avamar system with 2 TB of licensed capacity?

**Options:**

---

A- 1

B- 2

C- 3

D- 4

**Answer:**

---

C

**To Get Premium Files for E20-594 Visit**

**<https://www.p2pexams.com/products/e20-594>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/dell-emc/pdf/e20-594>**

