



Free Questions for 500-451 by dumpshq

Shared by Franco on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which three algorithms does Radio Resource Management use?

Options:

- A- Dynamic Channel Assignment, Transmit Power Control, Coverage Hole Detection
- B- CleanAir, Coverage Hole Detection, General Profile Threshold
- C- CleanAir, Transmit Power Control, General Profile Threshold
- D- CleanAir, Dynamic Channel Assignment, Rogue Location and Containment

Answer:

A

Question 2

Question Type: MultipleChoice

Cisco ISE uses HTTPS for its Guest Service portals (Guest, Sponsor, WebAuth). What is the default TCP port number?

Options:

A- 8443

B- 8080

C- 443

D- 80

Answer:

A

Question 3

Question Type: MultipleChoice

Within Cisco ISE, which persona or node handles RADIUS requests and the Sponsor and Guest portals?

Options:

- A- Policy Administration Node
- B- Guest Service persona
- C- Policy Service persona
- D- Monitoring persona

Answer:

C

Question 4

Question Type: MultipleChoice

Within Cisco ISE, which persona or node is responsible for enforcing policy?

Options:

- A- Policy Administration Node

- B- Guest Service persona
- C- Inline Posture Node
- D- Policy Service persona

Answer:

C

Question 5

Question Type: MultipleChoice

When configuring the RADIUS server between ISE and the network access device, there are many different types of NADs. Which option is the NAD?

Options:

- A- Cat2960 Access Switches
- B- CAP-3600 Access Point in Local mode
- C- CT 5508 Wireless LAN Controller

D- Cisco Prime Infrastructure

E- AnyConnect wireless client

Answer:

C

Question 6

Question Type: MultipleChoice

Which installation option is available as of Prime Infrastructure 2.0?

Options:

A- distributed

B- web-based installation

C- physical appliance

D- Windows installer

Answer:

C

Question 7

Question Type: MultipleChoice

How can you customize the Home view of Prime Infrastructure?

Options:

- A-** Open the Administration menu, select the Dashlets option, select new Dashlet, click Add to Home View.
- B-** Open the Operate menu, select the Home View option, Choose Edit Home View, select new Dashlet from the list.
- C-** Add Dashlets and edit existing Dashlets.
- D-** Home view cannot be customized in Prime Infrastructure 2.0.

Answer:

C

Question 8

Question Type: MultipleChoice

Which option is an advantage of using Cisco Prime Infrastructure as a network management solution?

Options:

- A- single GUI interface to all Cisco network devices
- B- Prime Infrastructure can also perform data center and virtualization infrastructure management.
- C- Hybrid and cloud-based options allow for easy scaling to accommodate growth.
- D- can be licensed for wired-only or wireless-only versions

Answer:

A

Question 9

Question Type: MultipleChoice

Which option can be a source of PI Assurance data?

Options:

- A- MPA on Catalyst 6500 Series Switches
- B- Catalyst 3850 Series Switch interface status
- C- NetFlow on Catalyst 4500 Series Switch
- D- ISE client join statistics
- E- WLC SNMP traps

Answer:

C

Question 10

Question Type: MultipleChoice

Which three components are parts of a Unified Access solution? (Choose three.)

Options:

- A- One Policy (Cisco ISE)
- B- One Management (Cisco Prime)
- C- One Network (wired, wireless, VPN access)
- D- One Controller (Converged)
- E- One Solution
- F- One Security

Answer:

A, B, C

Question 11

Question Type: MultipleChoice

What is the best way to design a network to ensure that Cisco NSF operates according to specifications?

Options:

A- Ensure that all attached neighbors are Cisco NSF-aware.

B- Ensure that the local switch is the NSF master.

C- Ensure that VSS NSF is enabled.

D- Ensure that IOS ISSU is enabled.

Answer:

A

To Get Premium Files for 500-451 Visit

<https://www.p2pexams.com/products/500-451>

For More Free Questions Visit

<https://www.p2pexams.com/cisco/pdf/500-451>

