



Free Questions for [DEP-3CR1](#) by [dumpsheet](#)

Shared by [Griffin](#) on [24-05-2024](#)

For More Free Questions and Preparation Resources

[Check the Links on Last Page](#)

Question 1

Question Type: MultipleChoice

In CyberSense, which term defines the function that enables and optimizes the segments for analysis and searching?

Options:

- A- Index Job
- B- Post Processing
- C- Analysis
- D- Segment

Answer:

D

Question 2

Question Type: MultipleChoice

A Cyber Recovery Administrator encounters a PowerProtect DD system that is offline and unavailable in the CR system.

What are the steps to remove this asset?

Options:

- A-** From the CLI, look for the asset's UID, and run the command: `crcli apps delete --uid`
- B-** From the Cyber Recovery UI, select Asset, select the unavailable tab, then delete
- C-** From the CLI, look for the asset's nickname, and run the command: `crcli dd delete --nickname`
- D-** From the Cyber Recovery UI, select the asset checkbox, then delete

Answer:

C

Question 3

Question Type: OrderList

What is the correct sequence to install Cyber Recovery software on a physical host?

Steps

Install Docker components

Install Cyber Recovery software

Export Docker host IP

Configure the firewall settings



Answer Area



Answer:

Export Docker host IP

Question 4

Question Type: MultipleChoice

Which script verifies that the system is ready for a CyberSense docker installation?

Options:

- A- CheckEngine.sh
- B- yum install docker-ce
- C- crsetup.sh --check
- D- repobundle-ie-docker-check

Answer:

B

Question 5

Question Type: MultipleChoice

Which backup storage systems are supported when a CR Vault solution needs to be implemented?

Options:

- A- Production: Any storage Vault: Isilon or ECS
- B- Production: PowerProtect DD Vault: PowerProtect DD

C- Production: Any disk storage Vault: Tape solution

D- Production: Isilon Vault: Any storage

Answer:

A

Question 6

Question Type: MultipleChoice

Why is the AWS User Canonical ID needed when emailing CyberRecoveryCloudRequest@Dell.com?

Options:

A- For access to the Cloud Formation template

B- To assign the sales order number to your account

C- To determine the AWS region to deploy Cyber Recovery

D- For access to the Cyber Recovery AMI

Answer:

C

Question 7

Question Type: MultipleChoice

Which Cyber Recovery REST API section allows a user to create log bundles?

Options:

A- Notifications

B- Actions

C- Systems

D- Authentication

Answer:

A

Question 8

Question Type: MultipleChoice

A customer wants to use the service of an external network operation center (NOC) / security operation center (SOC) to monitor the CR Vault environment.

What is the most secure solution if the customer wants to ensure that communication is only possible to the NOC/SOC?

Options:

A- Firewall

B- Dedicated Network Link

C- Data Diode

D- VPN Tunnel

Answer:

B

Question 9

Question Type: MultipleChoice

When is the lockbox passphrase required after the installation?

Options:

- A-** To reset the security officer's password and the root user password
- B-** To perform upgrades and recoveries from the vault
- C-** To perform recoveries from the vault and reset the root user password
- D-** To perform upgrades and reset the security officer's password

Answer:

C

Question 10

Question Type: MultipleChoice

What must be considered when planning and implementing a secure Cyber Recovery Vault solution?

Options:

- A- Production environment can use resources from Vault environment
- B- Production environment is used to run the Cyber Recovery Management Host
- C- Vault and Production infrastructure must be managed by NOC
- D- Vault infrastructure is completely isolated from the Production infrastructure

Answer:

A

Question 11

Question Type: MultipleChoice

Which appliance is supported as the replication target in the CR Vault?

Options:

- A- DP4400

B- DP5300

C- DP8300

D- DP8800

Answer:

D

To Get Premium Files for DEP-3CR1 Visit

<https://www.p2pexams.com/products/dep-3cr1>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/dep-3cr1>

