

Free Questions for DES-DD33 by dumpssheet

Shared by Allen on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: DragDrop


What is the correct sequence of steps to configure storage for Dell EMC Cloud Tier in the DD System Manager?

Click "Configure" in the Cloud Tier section	STEP 1
Answer:	
Click "Add to Tier"	STEP 2
Question 2 Select "Storage" under the Hardware tab Question Type: MultipleChoice	STEP 3
Under "Addable Storage", select the checkbox Which protocol is used for communications between a PowerProtect I	DD appliance and cloud tier to the temperature of t

Options:

A- HTTP

B- SSH



nswer:	
MISWEI.	
uestion 4	
estion Type: MultipleChoice	
hich component executes the read/write requests in a backup environment consisting of a PowerProtect DD appliance and IBM pectrum Protect?	
options:	
- Media Server	
- Media Agent - Spectrum Protect Server	
- Master Server	
nswer:	

Question Type: MultipleChoice

Which are supported compression algorithms in DDOS?

Options:

A- Iz, gz, and gzfast

B- bmp, lz, and gz

C- rle, Izw, and Iz

D- dsp, gz, and lz

Answer:

Α

Explanation:

Prior generation appliances compressed data using the default Iz algorithm. Other types of compression algorithms such as gzfast and gz were also available.

Question T	vpe:	Multi	pleCho	oice
Q GLODELOIL I	, , ,	1110101		,

What system role is required to create the second security officer for a PowerProtect DD?

Options:

- A- limited-admin
- B- security officer
- **C-** sysadmin
- D- admin

Answer:

В

Explanation:

A security role user, who may be referred to as a security officer, can manage other security officers, authorize procedures that require security officer approval, and perform all tasks supported for user-role users.

Question 7

Question Type: MultipleChoice

What is the maximum capacity that a cloud unit can have with DD9900?

Options:

A- 64 TB

B- 576 TB

C- 1,536 TB

D- 2,016 TB

Answer:

В

Question Type: MultipleChoice

Following best practices for a PowerProtect DD NFS environment, what is the recommended value for rsize and wsize?

Options:

A- 22768

B- 30008

C- 32768

D- 42768

Answer:

С

Question 9

Question Type: MultipleChoice

A PowerProtect DD backup administrator wants to delegate some Operations to their Monitoring and Control team. The administrator wants to add a user to the Monitoring and Control team with limited access to only check the health of the PowerProtect DD appliance.				
Which role must be applied to the new user?				
Options:				
A- Backup Operator				
B- Limited Admin				
C- User				
D- Tenant Admin				
Answer:				
C				
Explanation:				

The User role provides read-only access to monitor activities and operations.

Question Type: MultipleChoice

A storage administrator finished the zoning between the PowerProtect DD and the NetWorker backup server.

How can they verify that the zoning was completed properly and the server HBA are visible?

Options:


- A- scsitarget initiator show list
- B- scsitarget initiator list
- C- scsitarget show initiator
- **D-** scsitarget show initiator list

Answer:

Α

Question 11

Question Type: MultipleChoice



What are the steps to configure the Retention Lock Compliance?

Question Type: DragDrop

Create iDRAC users	STEP 1	
Answer: Add one or more security officer users	STEP 2	
Configure the system to use DD Retention Lock Compliance	STEP 3	
Enable DD Retention Lock Compliance on the system	STEP 4	
Enable the security officer authorization	STEP 5	

To Get Premium Files for DES-DD33 Visit

https://www.p2pexams.com/products/des-dd33

For More Free Questions Visit

https://www.p2pexams.com/dell-emc/pdf/des-dd33

