



Free Questions for 312-96 by certsinside

Shared by Kerr on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Jacob, a Security Engineer of the testing team, was inspecting the source code to find security vulnerabilities.

Which type of security assessment activity Jacob is currently performing?

Options:

A- ISCST

B- CAST

C- CAST

D- SAST

Answer:

D

Question 2

Question Type: MultipleChoice

Stephen is a web developer in the InterCall Systems. He was working on a Real Estate website for one of his clients. He was given a task to design a web page with properties search feature. He designed the following searchpage.jsp

However, when the application went to security testing phase, the security tester found an XSS vulnerability on this page. How can he mitigate the XSS vulnerability on this page?

Options:

- A-** He should write code like `out.write ('You Searched for:' +ESAPI.encoder().encodeForHTML(search));`
- B-** He should write code like `out.write ('You Searched for:' + request.getParameter('search').toStringq(11;`
- C-** He should write code like `out.write ('You Searched for:' + request.getParameterf'txt Search');`
- D-** He should write code like `out.write (('You Searched for:' +(search));`

Answer:

A

Question 3

Question Type: MultipleChoice

In which phase of secure development lifecycle the threat modeling is performed?

Options:

- A- Coding phase
- B- Testing phase
- C- Deployment phase
- D- Design phase

Answer:

D

Question 4

Question Type: MultipleChoice

Which of the following elements in web.xml file ensures that cookies will be transmitted over an encrypted channel?

Options:

A- < connector IsSSLEnabled='Yes' / >

B- < connector EnableSSL='true' / >

C- < connector SSLEnabled='false' / >

D- < connector SSLEnabled='true' / >

Answer:

D

Question 5

Question Type: MultipleChoice

Which of the following method will help you check if DEBUG level is enabled?

Options:

A- isDebugEnabled()

- B- EnableDebug ()
- C- IsEnableDebug ()
- D- DebugEnabled()

Answer:

A

Question 6

Question Type: MultipleChoice

Alice, a Server Administrator (Tomcat), wants to ensure that Tomcat can be shut down only by the user who owns the Tomcat process. Select the appropriate setting of the CATALINA_HOME/conf in server.xml that will enable him to do so.

Options:

- A- < server port="" shutdown="" >
- B- < server port='-1' shutdown='*' >
- C- < server port='-1' shutdown='SHUTDOWN' >

D- < server port='8080' shutdown='SHUTDOWN' >

Answer:

B

Question 7

Question Type: MultipleChoice

Which line of the following example of Java Code can make application vulnerable to a session attack?

```
1: Public class storecookie extends HttpServlet {  
2: Public void doGet () {  
3: Cookie ssnCookie = new Cookie ("Session Cookie"+ value);  
4: ssnCookie.setMaxAge (3600);  
5: response.addCookie (ssnCookie);  
6: }
```

Options:

A- Line No. 1

B- Line No. 3

C- Line No. 4

D- Line No. 5

Answer:

B

Question 8

Question Type: MultipleChoice

Which of the threat classification model is used to classify threats during threat modeling process?

Options:

A- RED

B- STRIDE

C- DREAD

D- SMART

Answer:

B

Question 9

Question Type: MultipleChoice

According to secure logging practices, programmers should ensure that logging processes are not disrupted by:

Options:

A- Catching incorrect exceptions

B- Multiple catching of incorrect exceptions

C- Re-throwing incorrect exceptions

D- Throwing incorrect exceptions


Answer:

D

Question 10

Question Type: MultipleChoice

Identify the type of attack depicted in the following figure.



Options:

- A- SQL Injection Attacks
- B- Session Fixation Attack
- C- Parameter Tampering Attack
- D- Denial-of-Service Attack

Answer:

C

To Get Premium Files for 312-96 Visit

<https://www.p2pexams.com/products/312-96>

For More Free Questions Visit

<https://www.p2pexams.com/eccouncil/pdf/312-96>

