



Free Questions for D-PST-DY-23 by go4braindumps

Shared by Mclaughlin on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which two methods would a customer use to migrate their legacy block thick and thin clones to PowerStore? (Choose two.)

Options:

- A- Mirrorview
- B- VM Import
- C- Non-disruptive Import
- D- SAN Copy
- E- Agentless Import

Answer:

C, E

Question 2

Question Type: MultipleChoice

An administrator is connecting a Linux host to a PowerStore appliance and must know which storage network interface to use.

Which nvme subcommand should be used?

Options:

A- connect

B- id-ccrl

C- attach-ns

D- discover

Answer:

D

Question 3

Question Type: MultipleChoice

Use the simulator to create an SMB NAS server using the following information:

- * NAS and SMB computer name: payrollserver
- * Network interface: BaseEnclosure-bond1
- * IP address: 192.168.2.20
- * Subnet: /24
- * Gateway: 192.168.2.254
- * VLAN: 1504
- * AD/DNS: 192.168.2.50
- * Windows domain name: company.com
- * Domain administrator credentials: Administrator/password

When you have finished continue to the next question.

Options:

A- See the Explanation below for complete solution

Answer:

A

Explanation:

1. Open the simulator and log in with the default credentials: admin/Password123#.
2. Select Storage > NAS Servers from the left menu.
3. Click + CREATE to launch the Create NAS Server wizard.
4. Enter payrollserver as the NAS and SMB computer name and click Next.
5. Select BaseEnclosure-bond1 as the network interface and click Next.
6. Enter 192.168.2.20 as the IP address, /24 as the subnet, 192.168.2.254 as the gateway, and 1504 as the VLAN ID. Click Next.
7. Select Join a Windows domain as the SMB server type and click Next.
8. Enter 192.168.2.50 as the AD/DNS server, company.com as the Windows domain name, Administrator as the domain administrator username, and password as the domain administrator password. Click Next.
9. Review the summary and click Finish to create the SMB NAS server.

Question 4

Question Type: MultipleChoice

Which are the two asynchronous file-replication configuration requirements? (Choose two.)

Options:

- A- Map the File Mobility Network to Management Network
- B- Configure the File Mobility Network IP address on Management subnet and VLAN
- C- Configure the File Mobility Network IP address on Storage Network subnet and VLAN
- D- Map the File Mobility Network to Storage Network

Answer:

C, D

Question 5

Question Type: MultipleChoice

Which configuration item is optional during the PowerStore ICW?

Options:

- A- Support and CloudIQ
- B- Default Users
- C- Management Network
- D- Fault Tolerance

Answer:

D

Question 6

Question Type: MultipleChoice

An administrator removes a volume from an existing volume group which is part of replication. The system generates an error stating that it cannot create a replication session for the volume.

Why does removing the volume generate an error message?

Options:

- A- The volume is not mapped to the volume group host
- B- The volume group configuration must be synchronized
- C- The volume group alerts must be acknowledged
- D- The volume already has a protection policy

Answer:

D

Question 7

Question Type: MultipleChoice

An NVMe host has four volumes that are directly provisioned. When setting up a new NVMe host group, the host is not shown in the available host list.

Why can the host not be added to the host group?

Options:

- A- The host initiator type is incorrect

- B-** The host has mapped volumes
- C-** The host is part of another host group
- D-** The host is not using the same OS

Answer:

B

Question 8

Question Type: MultipleChoice

Which network does the PowerStore use for communication to the cluster database?

Options:

- A-** Storage
- B-** Management
- C-** ICM
- D-** ICD

Answer:

C

To Get Premium Files for D-PST-DY-23 Visit

<https://www.p2pexams.com/products/d-pst-dy-23>

For More Free Questions Visit

<https://www.p2pexams.com/dell-emc/pdf/d-pst-dy-23>

