

Free Questions for HCL-BF-PRO-10 by certsdeals

Shared by Bauer on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A request has been made by management to create a property so that managed endpoints can be associated with specific patching groups based on the host name. How is a new retrieved property created in BigFix?

Options:

- A- This property is created by a Master Operator in an Analysis and stored in the BES Support site.
- B- From the BigFix Console, select Computers, choose the target computer(s) from the list, then right-click and select Edit Computer Settings from the context menu.
- C- From the WeblH select Devices select the Manage Computer Properties button then click Add New and enter the property name and valid Relevance expression
- D- From the .BigFix Console, select Manage Properties from the Tools menu, click Add New, then enter a name for the property and valid Relevance expression.

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following is the correct upgrade process when performing a BigFix Windows Root server upgrade that uses a remote database?

Options:

- A- Upgrade the server installers using the Support Fixlets and run the server installer on the BigFix Server as a local administrator.
- B- Upgrade using upgrade Fixlets from the console.
- C- Upgrade the server installers and use the upgrade Fixlets from the BigFix Console.
- D- Upgrade the server installers using the Support Fixlets and run the server installer on the BigFix Server as a user that has Sysadm permissions to the database server.

Answer:

D

Question 3

Question Type: MultipleChoice

How is the Site Administrator key generated?

Options:

- A- It is generated during installation.
- B- It is generated through the Bigfix License Portal.
- **C-** It is generated by BigFix Support and attached to your license.
- D- It is generated at the command line using openssl.

Answer:

Α

Question 4

Question Type: MultipleChoice

BigFix clients that are connected to the enterprise network through a VPN can be configured to download specific resources directly from the Internet instead of their parent Relay.

Which of the following settings can be used to enable this functionality?

Options:

- A- _BESClient_Download_DirectPatchList
- B-_BESClient_Download_Direct_Domainlist
- C- _BESClient_Download_Direct_ByVendor
- D-_BESClient_Download_Direct_SubnetList.

В

Question 5

Question Type: MultipleChoice

The Site Administrator responsible for managing a BigFix deployment with 50,000 endpoints and no top-level Relays wants to enable Message Level Encryption (MLE). Which of the following should be considered to support this configuration?

- A- All Relays must have at least 8GB RAM to support this configuration.
- B- The BigFix Root server requires additional CPU resources appropriate to the number of managed endpoints to process the encrypted reports.
- C- An additional NIC must be added to the BigFix Root server to balance the extra load caused by the encrypted reports.
- D- The _BESServer_MaxReport_Decryptions setting should be set to an appropriate value on the BigFix Root server to minimize the impact from handling the encrypted reports.

В

Question 6

Question Type: MultipleChoice

A Master Operator logs into the WebUI to review all actions taken in their BigFix environment. Which page will provide a list of all actions?

A- Activities
B- Deployments
C- Fixlets and Tasks
D- Reports
Answer:
В
Question 7
Question Type: MultipleChoice
When creating a Custom Site, which of the following permission levels can be assigned to operators? (Choose three.)
Options:
A- Reader
B- User
C- Writer

- D- Owner
- E- Administrator
- F- Guest

A, D

Question 8

Question Type: MultipleChoice

The network team does not allow UDP to be used on a segment of the network that hosts servers that are used to process credit card payments. Actions that target those servers stay in Not Reported status for a long time and can take up to a day to receive them.

Which of the following client settings when set with the appropriate values can be used to resolve this issue? (Choose two.)

- A-_BESClient_Comm_CommandPollEnable
- B-_BESClient_Comm_CommandPollInterval

- C-_BESClient_CommandPoll
- **D-** _BESClient_Comm_CommandPollIntervalSeconds
- E-_BESClient_CommandPollEnable

A, D

Question 9

Question Type: MultipleChoice

On a Windows Root Server, which service is responsible for inserting client report data into the database?

- A- BES ServerDB Plugin Service
- **B-** BES FIIIDB
- C- BES Root Server
- D- BES GatherDB

В

Question 10

Question Type: MultipleChoice

BigFix Console operators have various rights and restrictions when activating, deactivating and modifying analyses. Which of the following statements is valid?

Options:

- A- Non-Master operators can deactivate an analysis activated by other Non-Master operators on computers that they administer.
- B- Non-Master operators cannot deactivate an analysis activated by other operators on computers they administer.
- C- Master Operators can directly activate custom analyses authored by Non-Master operators.
- **D-** Master operators can directly edit analyses in an external site.

Answer:

В

Question 11

Question Type: MultipleChoice

A BigFix Administrator will be performing an upgrade in a Distributed Server Architecture (DSA) environment.

Which of the following steps should be taken during this upgrade process?

Options:

- A- Run the BigFix Server upgrade on the secondary servers first, then upgrade primary server.
- B- Run the BigFix Server upgrade on the primary and secondary servers at the same time.
- C- Run the BigFix Server upgrade on the primary server first, then upgrade the secondary servers.
- D- Run the BigFix Server upgrade on the secondary servers first, then take action on the DSA Upgrade Fixlet.

Answer:

C

To Get Premium Files for HCL-BF-PRO-10 Visit

https://www.p2pexams.com/products/hcl-bf-pro-10

For More Free Questions Visit

https://www.p2pexams.com/hclsoftware/pdf/hcl-bf-pro-10

