



**Free Questions for HIO-301 by dumpshq**

**Shared by Gutierrez on 24-05-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

## Question 1

---

**Question Type:** MultipleChoice

---

The objective of this standard is to limit physical access to information systems and facilities:

### Options:

---

- A- Information Access Management
- B- Facility Access Controls
- C- Person or Entity Authentication
- D- Workstation Use
- E- Security Management Process

### Answer:

---

B

## Question 2

---

**Question Type:** MultipleChoice

---

The Facility Security Plan implementation specification is associated with which Security Rule standard?

**Options:**

---

- A- Facility Access Control
- B- Contingency Plan
- C- Security Management
- D- Device and Media Controls
- E- Access Controls

**Answer:**

---

A

## Question 3

---

**Question Type:** MultipleChoice

---

This implementation specification addresses control of access to software programs for testing and revision.

**Options:**

---

- A- Access Control and Validation Procedures.
- B- Facility Security Plan
- C- Workstation Use
- D- Person or Entity Authentication
- E- Contingency Plan

**Answer:**

---

A

## Question 4

---

**Question Type: MultipleChoice**

---

Disposal and Accountability are implementation specifications of:

**Options:**

---

- A- Security Incident Procedures
- B- Device and Media Controls
- C- Testing and Revision
- D- Termination Procedures
- E- Physical Access Controls

**Answer:**

---

B

## Question 5

---

**Question Type:** MultipleChoice

---

This is a standard within Physical Safeguards

**Options:**

---

- A- Contingency Operations
- B- Workstation Use

**C-** Security Incident Management

**D-** Disaster Recovery

**E-** Disposal

**Answer:**

---

B

## Question 6

---

**Question Type:** MultipleChoice

---

Media Re-use is a required implementation specification associated with which security standard?

**Options:**

---

**A-** Facility Access Controls

**B-** Workstation Use

**C-** Workstation Security

**D-** Device and Media Controls

**E-** Access Control

**Answer:**

---

D

## Question 7

---

**Question Type:** MultipleChoice

---

This HIPAA security category covers the use of locks, keys and administrative measures used to control access to computer systems:

**Options:**

---

**A-** Technical Safeguards

**B-** Technical Services

**C-** Physical Security Policy

**D-** Administrative Safeguards

**E-** Physical Safeguards

**Answer:**

---

E

## Question 8

---

**Question Type: MultipleChoice**

---

This standard addresses restricting physical access to electronic PHI data through interface devices to authorized users:

**Options:**

---

- A- Facility Security Plan
- B- Person or Entity Authentication
- C- Workstation Security
- D- Contingency Plan
- E- Access Control

**Answer:**

---

C



## Question 9

---

**Question Type:** MultipleChoice

---

A required implementation specification of the contingency plan standard is:

### Options:

---

- A- Chain of Trust Agreement
- B- Applications and Data Criticality Analysis
- C- Security Training
- D- Disaster Recovery Plan
- E- Internal Audit

### Answer:

---

D

## Question 10

---

**Question Type:** MultipleChoice

---

Documented instructions for responding to and reporting security violations are referred to as:

**Options:**

---

- A- Business Associate agreement
- B- Security Incident Procedures
- C- Non-repudiation
- D- Sanction Policy
- E- Risk Management

**Answer:**

---

B

## Question 11

---

**Question Type:** MultipleChoice

---

This is a program that is a type of malicious code. It is unauthorized code that is contained within a legitimate program and performs functions unknown to the user.

**Options:**

---

A- Trojan horse

B- Distributed Denial of Service

C- Stealth virus

D- Polymorphic virus

E- Denial of Service

**Answer:**

---

A

**To Get Premium Files for HIO-301 Visit**

**<https://www.p2pexams.com/products/hio-301>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/hipaa/pdf/hio-301>**

