



Free Questions for HPE6-A73 by actualtestdumps

Shared by Evans on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

An administrator is implementing a multicast solution in a multi-VLAN network. Which statement is true about the configuration of the switches in the network?

Options:

- A) IGMP must be enabled on all routed interfaces where multicast traffic will traverse
- B) IGMP snooping must be enabled on all interfaces on a switch to intelligently forward traffic
- C) IGMP requires join and leave messages to graft and prune multicast streams between switches
- D) IGMP must be enabled on all interfaces where multicast sources and receivers are connected

Answer:

C

Question 2

Question Type: MultipleChoice

An administrator is concerned about the security of the control plane connection between an AOS-CX switch and an Aruba Mobility Controller (MC) when implementing user-based tunneling. How should the administrator protect this traffic?

Options:

- A) GRE with a pre-shared Key
- B) IPSec with a pre-shared key
- C) IPSec with a digital certificate
- D) PAPI with an MD5 pre-shared key

Answer:

D

Question 3

Question Type: MultipleChoice

An administrator is implementing a downloadable user role solution involving AOS-CX switches. The AAA solution and the AOS-CX switches can successfully authenticate users; however, the role information fails to download to the switches. What policy should be added to an intermediate firewall to allow the downloadable role function to succeed?

Options:

- A) Allow UDP 1811
- B) Allow UDP 8211
- C) Allow TCP 22
- D) Allow TCP 443

Answer:

D

Question 4

Question Type: MultipleChoice

An administrator of a company has concerns about upgrading the access layer switches. The users rely heavily on wireless and VoIP telephony. Which is the best recommendation to ensure a short downtime for the users during upgrading the access layer switches?

Options:

- A) Implement VSX on the AOS-CX access switches
- B) Install the in-service software upgrade (ISSU) feature with clustering enabled
- C) Implement VSF on the AOS-CX access switches
- D) install AOS-CX 6300 or 6400 switches with always-on POE.

Answer:

D

Question 5

Question Type: MultipleChoice

How is voice traffic prioritized correctly on AOS-CX switches'?

Options:

- A) By implementing voice VLANs
- B) By implementing weighted fair queueing (WFQ)
- C) By placing it in the strict priority queue

D) By defining device profiles with QOS settings

Answer:

A

Question 6

Question Type: MultipleChoice

An administrator will be replacing a campus switching infrastructure with AOS-CX switches that support VSX capabilities

The campus involves a core as well as multiple access layers Which feature should the administrator implement to allow

both VSX'Capable core switches to process traffic sent to the default gateway in the campus VLANs?

Options:

A) IP helper

B) Active gateway

C) VRF

D) VRRP

Answer:

B

Question 7

Question Type: MultipleChoice

An administrator wants to leverage always-on PoE on AOS-CX switches. Which statement is correct regarding this feature'?

Options:

- A) Supports all AOS-CX switches
- B) Requires NetEdit to implement
- C) Provides up to 60W of power per port
- D) Provides surge protection for PoE and non-PoE ports

Answer:

C

To Get Premium Files for HPE6-A73 Visit

<https://www.p2pexams.com/products/hpe6-a73>

For More Free Questions Visit

<https://www.p2pexams.com/hp/pdf/hpe6-a73>

