

Free Questions for H12-261 by dumpshq

Shared by Salazar on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which tool can be used to select BGP route based on the path that the route has followed?

Options:

- A) ACL
- B) IP-prefix
- C) AS-path-filter
- D) Community-filter

Answer:

С

Question 2

Question Type: MultipleChoice

On a switch running the rapid spanning tree protocol, which port will send a BPDU with the proposal flag set?			
Options:			
A) Designated port in forwarding state			
B) Designated port in non-forwarding state			
C) Root port in blocking state			
D) Alternate port			
Answer:			

Question 3

В

Question Type: MultipleChoice

Which of the following character strings matches the regular expression A100\$?

0	pti	0	ns	:
---	-----	---	----	---

- **A)** 3100
- **B)** 100
- **C)** 1008
- **D)** 100 200


Answer:

В

Question 4

Question Type: MultipleChoice

As shown in the following figure, what are the reasons why the two routers cannot establish an IS-IS neighbor relationship? (Multiple Choice)



O	pt	io	ns	:
	_	_		-

- A) The IS-IS process IDs of the two routers are different from each other.
- B) The system IDs of the two routers conflict with each other.
- C) The IS-IS cost types of the two routers are different to each other.
- D) The IS-IS preference values of the two routers are different to each other.
- E) The interfaces of the two routers are on different network segments.

Answer:

B, C

Question 5

Question Type: MultipleChoice

To display the routing table of router RI, the "display ip routing-table" command was issued. Router RI is running OSPF. Which one of the following statements is true regarding the OSPF information in a routing table?

Options:

- A) A routing designated with only an '0_ASE' represents either a type-1 or type-2 LSA.
- B) A route that has been imported into OSPF can only be represented with an '0_ASE' designation.
- C) Routes that are within an area (intra-area) are marked with an '0_IA' in the routing table.
- D) Type-7 LSAs display routes are imported into OSPF from another process, and are indicated by an 'OSPF' marking.
- E) All LSA types have unique designations in the IP routing table.

Answer:

В

Question 6

Question Type: MultipleChoice

On a Huawei switch hybrid port, VLAN1 can be configured as an untagged VLAN.

Options:

- A) TRUE
- B) FALSE

A	
uestion 7	
estion Type: MultipleChoice	
NAC is an end-to-end security soluti control.	on. To protect the security of the entire network, it combin terminal security with network admission
Options: A) TRUE	
B) FALSE	
Answer:	

Question Type: MultipleChoice

A router is configured for OSPF and is connected to two areas: area 0 and area 1. You configure area 1 as a stub are

a. Which LSA types will exist inside area 1?

Options:

- A) Type 7
- B) Type 1 and 2
- C) Type 1, 2, and 5
- D) Type 3 and 4
- **E)** Type 1, 2, and 3

Answer:

Ε

Question 9

Question Type: MultipleChoice

On an MPLS VPN network, which interface is used by PEs to set up an MP-IBGP peer relationship?

Options:

- A) PE interface connected to a P router
- B) PE interface connected to a CE
- C) Loopback interface
- D) Any interface can be used

Answer:

C

Question 10

Question Type: MultipleChoice

Which of the following configurations can be performed to implement fast failure detection on a

network?

(Multiple Choice)

Options:

- A) Reduce the holdtime of Join/Prune messages.
- B) Reduce the interval for an interface to send Hello messages,
- C) Set up a PIM BFD session between network segment neighbors.
- D) Reduce the interval for sending Join/Prune messages.

Answer:

B, C

Question 11

Question Type: MultipleChoice

You must configure a router to policy route specific traffic across an interface. What are the two best types of information that can be used to direct traffic along this route when using policy based routing?

Options:

- A) The packet time to live (TTL) and the source IP Address
- B) The Source IP address and the layer 2 source address
- C) The source IP Address and the protocol (such as FTP, HTTP, and others)
- D) Type of service header and packet length

Answer:

C

To Get Premium Files for H12-261 Visit

https://www.p2pexams.com/products/h12-261

For More Free Questions Visit

https://www.p2pexams.com/huawei/pdf/h12-261

