

# Free Questions for H12-311 by certsinside

Shared by Burgess on 24-05-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

## **Question 1**

**Question Type:** MultipleChoice

The AP domain deployment types are as follows (Select 3 Answers).

### **Options:**

- A- Independent deployment
- **B-** Discrete deployment
- **C-** Ordinary deployment
- **D-** Dense deployment

#### **Answer:**

B, C, D

## **Question 2**

**Question Type:** MultipleChoice

The systematic process of AP RF resource management is.

### **Options:**

- A- Acquisition -> Decision -> Analysis -> Execution
- B- Analysis -> Acquisition -> Decision -> Execution
- C- Acquisition -> Analysis -> Execution -> Decision
- D- Acquisition -> Analysis -> Decision -> Execution

#### **Answer:**

D

### **Question 3**

**Question Type:** MultipleChoice

The port number of the data packet on the AC side of the CAPWAP tunnel is 5246, and the port number of the control packet is 5247.

Options:	
A- True	
B- False	
Answer:	
В	
Question 4	
Question Type: MultipleChoice	
What are the QoS service models (Select 3 Answers).	
Options:	
A- Best Effort model	
B- IntServ model	
C- FIFO model	

D- DiffServ model
Answer:
A, B, D
Question 5
Question Type: MultipleChoice
The roaming of the terminal in different VLANs belongs to.
Options:
A- Seamless AP roaming
B- Layer 2 roaming
C- Three-layer roaming
D- Four-layer roaming
Answer:

## **Question 6**

**Question Type:** MultipleChoice

The IEEE 802.11 standard used to define roaming is

### **Options:**

**A-** IEEE 802.11c

**B-** IEEE 802.11h

**C-** IEEE 802.11j

**D-** IEEE 802.11r

#### **Answer:**

D

## **Question 7**

#### **Question Type:** MultipleChoice

The correct statement about WDS is (Select 2 Answers)?

#### **Options:**

- A- Connect two separate LAN segments through a wireless bridge and provide data transmission between them
- B- WDS uses the 2.4GHz band as the bridge frequency band by default.
- C- Scalability is good, and there is no need to lay new wired connections and deploy more APs
- D- Huawei indoor AP does not support WDS function.

#### **Answer:**

A, C

## **Question 8**

**Question Type:** MultipleChoice

The port number of the control packet of the CAPWAP tunneling protocol is

### **Options:**

**A-** 1645

**B-** 1646

**C-** 5246

D- 5247

### Answer:

D

### **To Get Premium Files for H12-311 Visit**

https://www.p2pexams.com/products/h12-311

### **For More Free Questions Visit**

https://www.p2pexams.com/huawei/pdf/h12-311

