



Free Questions for H12-311_V3.0 by dumpssheet

Shared by Holloway on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Int-Serv The model provides users with end-to-end absolute

Options:

- A- Limited bandwidth reservation
- B- Low forwarding efficiency
- C- Scalability is not good
- D- Not conducive to traffic monitoring

Answer:

C

Explanation:

QoS Guarantee, but the reason for not successful large-scale commercial use is () .

Question 2

Question Type: MultipleChoice

STA issued 802.11 Message to pass AP When entering the Ethernet, it is converted to 802.3 Packets that are not in the priority mapping method are

().

Options:

- A-** No priority mapping
- B-** According to different VAP Set different priorities
- C-** Arrive according to the message AP Precedence
- D-** according to UP Map to priority

Answer:

C

Question 3

Question Type: MultipleChoice

Which of the following are the relevant parameters of the Traffic template ().

(Select 2 Answers)

Options:

- A- 802.3 priority mapping strategy
- B- CAC strategy
- C- Tunnel priority mapping strategy
- D- ACK strategy

Answer:

A, C

Question 4

Question Type: MultipleChoice

In the following options, () is not the main purpose of roaming.

Options:

- A- Avoid long authentication time during roaming, resulting in packet loss or even business interruption
- B- Ensure that the user authorization information remains unchanged
- C- Guarantee users IP The address remains unchanged
- D- Ensure that the user's network rate remains unchanged

Answer:

D

Question 5

Question Type: MultipleChoice

About Huawei WLAN Description of the characteristics of the product, the following statement is correct ().

Options:

- A-** Wireless controllers can achieve high availability through stacking
- B-** Huawei AP The radio frequency tuning function is divided into global tuning and local tuning. The local tuning is AP Done independently
- C-** WLAN The switching threshold of load balancing has two configurations based on the number of users and the number of sessions.
- D-** After dual-link backup is configured, if the user adopts the tunnel forwarding mode, even if it is active AC User services will not be interrupted after failure and restart

Answer:

C

Question 6

Question Type: MultipleChoice

The following statement about the AP access control method is incorrect ().

(Select 2 Answers)

Options:

- A-** By default, the control method for AP to access AC is non-authentication
- B-** By configuring the AP in an offline state, authentication is required to automatically access
- C-** The configuration whitelist can be authenticated based on MAC or SN
- D-** If MAC authentication is used for AP access control, APs outside of the MAC authentication list can also go online after manual confirmation

Answer:

A, B

Question 7

Question Type: MultipleChoice

Among the following options, () is the reason for using 5G priority access.

Options:

- A-** It is easier to make network planning in the 5G frequency band
- B-** 5G frequency band can provide better access capability and capacity

C- The connection speed between users and APs in the 5G frequency band is very fast

D- The transmission rate of the 5G frequency band is higher than that of the 2.4G frequency band

Answer:

B

To Get Premium Files for H12-311_V3.0 Visit

https://www.p2pexams.com/products/h12-311_v3.0

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h12-311-v3.0>

