

Free Questions for H13-623 by certscare

Shared by Campos on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which are advantages provided by parallel deduplication? (Multiple Choice)

Options:

A- High performance

B- High reliability

C- Large scale

Answer:

A, B, C

Question 2

Question Type: MultipleChoice

In Huawei OceanStor disaster recovery solutions, which is the major difference between synchronous remote replication and asynchronous remote replication?

Options:

- A- OPS
- **B-** RPO
- C-IOPS
- **D-** Costs

Answer:

В

Question 3

Question Type: MultipleChoice

Suppose that a customer that adopts the Huawei Network-Layer Full-Sized Snapshot Solution starts creating a snapshot for the source volume at 9:00 am, and the snapshot finishes being created at 9:10 am. During the snapshot creation, some data is written to the source volume. Based on the preceding conditions, which of the following statements is correct?

Options:	0	p	ti	0	n	S	:
----------	---	---	----	---	---	---	---

- A- Data in the snapshot volume is the same as that in the source volume at 9:00 am.
- B- Data in the snapshot volume is the same as that in the source volume at 09:10 am.
- C- Data in the snapshot volume is the incremental data generated during 9:00 am to 9:10 am in the source volume.
- D- The snapshot volume is a physical copy of the source volume generated at 9:00 am.

Answer:

Α

Question 4

Question Type: MultipleChoice

Which of the following features is used to achieve the Huawei Geo-redundant DR Solution?

Options:

A- HyperMirror **B-** HyperMetro C- HyperClone **D-** HyperReplication **Answer:** D **Question 5 Question Type:** MultipleChoice In the HyperMetro active-active data center solution, if a member LUN has bad blocks, which of the following statements is false?

Options:

- A- Before repairing bad blocks, the read permission must be obtained and the local read permission for active-active pairs must be confirmed.
- B- If irreparable bad blocks are read from a local LUN, a read error message is returned to the host.

- C- If repairable bad blocks are read from a local LUN, data is returned to the host, ensuring fast host response.
- D- If irreparable bad blocks are read from a local LUN, the system uses data stored on the remote LUN to repair these bad blocks.

Answer:

В

Question 6

Question Type: MultipleChoice

Which of the following statements about deploying Huawei active-active data centers are true? (Multiple Choice)

Options:

- A- The storage layer does not support the following practice: One OceanStor V3 storage system takes over LUNs from a third-party storage system. Then, a third-party LUN and a LUN on another OceanStor V3 storage system form active-active LUNs.
- B- On the network layer, at least two independent GSLBs must be deployed at each site for load balancing between the two sites,
- **C-** Quorum software can be installed on a physical server or a virtual machine. The quorum server is connected to the two storage arrays in the active-active data centers over an IP network.

D- The transmission layer uses Huawei OptiX OSN series DWDM devices. Two wavelength division devices are deployed at each site.

Answer:

C, D

To Get Premium Files for H13-623 Visit

https://www.p2pexams.com/products/h13-623

For More Free Questions Visit

https://www.p2pexams.com/huawei/pdf/h13-623

