



Free Questions for H35-210_V2.5 by certsdeals

Shared by Palmer on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Is the following description correct? MA5680T supports the function of traffic shaping on specific service-ports.

Options:

A- True

B- False

Answer:

B

Question 2

Question Type: MultipleChoice

MA5680T configures GPON ONT templates through templates. What templates need to be configured?

Options:

- A- DBA template
- B- GPON ONT line template
- C- GPON ONT business template
- D- GPON ONT capability template

Answer:

A, B, C

Question 3

Question Type: MultipleChoice

Is the following description correct? The OLT supports directly copying the user message priority as the priority of forwarding messages, and also supports the local setting of the priority directly on the OLT.

Options:

- A- True

B- False

Answer:

A

Question 4

Question Type: MultipleChoice

What are the northbound interface types provided by U2000 to the network management layer?

Options:

A- XML northbound interface

B- CORBA northbound interface

C- SNMP alarm northbound interface

D- TL1 northbound interface

Answer:

A, B, C, D

Question 5

Question Type: MultipleChoice

VLAN conversion on the user side is generally performed on the MA5680T service board. What are the methods for VLAN conversion?

Options:

A- transparent

B- translate

C- add-double

D- translate-and-transparent

Answer:

A, B, C

Question 6

Question Type: MultipleChoice

What are the operations that need to be performed when adding ONT to MA5680T?

Options:

- A- Configure DBA template
- B- Configure the ONT line profile
- C- Configure ONT service template
- D- Add ONT and bind related templates

Answer:

A, B, C, D

Question 7

Question Type: MultipleChoice

Which of the following statements about GPON is incorrect?

Options:

- A- Each GPON port supports a split ratio of 1:64, which can provide 64 ONT access.
- B- There can be multiple T-CONTs on each ONU, and multiple GEMPORTs can be bound to each TCONT.
- C- T-CONT is equivalent to a physical cache, and the rate can be limited only if it is bound to a DBA template.
- D- ONU ID must be unique on the OLT

Answer:

D

Question 8

Question Type: MultipleChoice

UA5000 uses the supervlan command to add multiple Sub VLANs to a Super VLAN. Which VLAN type of Sub VLAN can be?

Options:

- A- super vlan

B- standard vlan

C- mux vlan

D- smart vlan

Answer:

B, C, D

Question 9

Question Type: MultipleChoice

When adding on-lineprofile to MA5680T, what needs to be configured?

Options:

A- Configure the vlan of the ONT ETH port

B- Add DBA template

C- Binding tcont and DBA template

D- Add gemport, configure gemport mapping relationship

Answer:

C, D

To Get Premium Files for H35-210_V2.5 Visit

https://www.p2pexams.com/products/h35-210_v2.5

For More Free Questions Visit

<https://www.p2pexams.com/huawei/pdf/h35-210-v2.5>

