

Free Questions for HC-611 by go4braindumps

Shared by Montgomery on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

A dual-port the FC-HBA card, there are two numbers WWNN

Options:

A- True

B- False

Answer:

В

Question 2

Question Type: MultipleChoice

RAID10 disk utilization levels of RAID group (N: mirroring disks):

| Options: | |
|--|--|
| A- 1 / N | |
| B- 100% | |
| C- (N-1) / N | |
| D- 1/2 | |
| | |
| Answer: | |
| A | |
| | |
| | |
| Question 3 | |
| Question Type: MultipleChoice | |
| | |
| S5000 series storage arrays supported disk types include () (Choose two) | |
| | |
| | |
| | |
| Options: | |
| Options: A- SAS | |



Answer:

A, C, D

Question 5

Question Type: MultipleChoice

When using the method of multiple paths between the application server connected to the storage system, in the absence of multipath software support, the way that multiple paths which are connected will cause a problem? (Choose three)

Options:

- A- Danger to the data
- B- Produce the illusion of multiple redundant disks
- C- The operating system does not know when to use the redundant paths
- D- Reduced bandwidth

Answer:

A, B, C

Question 6

Question Type: MultipleChoice

RAID data organization have? (Choose two)

Options:

- A- Block
- **B-** Parallel
- C- Serial
- **D-** Strips

Answer:

A, D

Question 7

Question Type: MultipleChoice

For RAID5 which of the following description is not correct? (Choose two)

Options:

- A- The same size, in the number of hard drives, the random read and write performance is relatively higher than those RAID3
- B- Suitable for file server, Email server, WEB server, such as input / output intensive, read / write higher percentage of applications
- C- Two members of the panel fail without affecting data integrity
- D- Data redundancy check code is calculated by the Hamming

Answer:

C, D

Question 8

Question Type: MultipleChoice

Linux system, the MBR disk to GPT format to use what commands:

| A- parted | |
|--|---|
| B- fdisk | |
| C- diskpart | |
| D- mount | |
| Answer: | |
| A A I Swer. | |
| | |
| | |
| | |
| | |
| uestion 9 | |
| | oice |
| | oice |
| uestion Type: MultipleCho | oice O group members do not recommend too much, for example, more than 20 members of the disk RAID, only 8-9 |
| uestion Type: MultipleCho | |
| | group members do not recommend too much, for example, more than 20 members of the disk RAID, only 8-9 (the number of recommended disk RAID5 members) Low disk RAID group members, and the RAID group fail |
| uestion Type: MultipleCho The number of disk RAID blocks performance ratio | group members do not recommend too much, for example, more than 20 members of the disk RAID, only 8-9 (the number of recommended disk RAID5 members) Low disk RAID group members, and the RAID group fail |
| uestion Type: MultipleCho The number of disk RAID blocks performance ratio | group members do not recommend too much, for example, more than 20 members of the disk RAID, only 8-9 (the number of recommended disk RAID5 members) Low disk RAID group members, and the RAID group fail |

- A- True
- **B-** False

Answer:

Α

Question 10

Question Type: MultipleChoice

About the S2600 series storage arrays networking statement is correct?

Options:

- A- SAS and iSCSI support hybrid network
- **B-** SAS supports only a single network
- **C-** FC and iSCSI does not support hybrid network
- D- ISCSI support only a single network

| Answer: | |
|---|--|
| В | |
| | |
| uestion 11 | |
| nestion Type: MultipleChoice | |
| Which of the following SCSI interface card can transmit | both data streams can be transmitted database operations are. (Choose two) |
| 5 | |
| | |
| Options: | |
| A- FC HBA card | |
| B- TOE NIC | |
| C- Ethernet cards | |
| D- iSCSI HBA card | |
| | |
| A | |
| Answer: | |

B, C

To Get Premium Files for HC-611 Visit

https://www.p2pexams.com/products/hc-611

For More Free Questions Visit

https://www.p2pexams.com/huawei/pdf/hc-611

