

Free Questions for LFCS by dumpssheet

Shared by Winters on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which of the following files assigns a user to its primary group?

Options:

- A- /etc/pgroup
- B- /etc/shadow
- C- /etc/group
- D- /etc/passwd
- E- /etc/gshadow

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following crontab entries will execute myscript at 30 minutes past every hour on Sundays?

Options:

A- 0 * * * 30 myscript

B- 30 * * * 6 myscript

C- 30 0 * * 0 myscript

D- 30 0-23 * * 0 myscript

E- 0 0-23 * * 30 myscript

Answer:

D

Question 3

Question Type: MultipleChoice

To prevent a specific user from scheduling tasks with at, what should the administrator do?

ptions:	
- Add the specific user to /etc/at.allow file.	
- Add the specific user to [deny] section in the /etc/atd.conf file.	
- Add the specific user to /etc/at.deny file.	
- Add the specific user to nojobs group.	
Run the following: atddeny [user].	
nswer:	
uestion 4	
stion Type: MultipleChoice	
ach entry in a crontab must end with what character?	
ptions:	

A- Tab
B- Space
C- Backslash
D- Newline
Answer:
D
Question 5
Question Type: FillInTheBlank
Which environment variable should be set in order to change the time zone for the commands run from within the environment variable's scope? (Specify the variable name only.)
Answer:

Question 6

Question Type:	MultipleChoice
-----------------------	-----------------------

Which file contains the date of the last change of a user's password?

Options:

- A- /etc/gshadow
- B- /etc/passwd
- C- /etc/pwdlog
- D- /etc/shadow
- E- /var/log/shadow

Answer:

D

Question 7

Question Type: MultipleChoice

Where are user specific crontabs stored	Where	are	user	specific	crontabs	stored
---	-------	-----	------	----------	----------	--------

Options:

- A- In the database file /etc/crontab.db which is shared by all users.
- B- As individual per-user files within /var/spool/cron.
- C- As individual per-user files in /etc/cron.user.d.
- **D-** In the .crontab file in the user's home directory.
- **E-** In the file /var/cron/user-crontab which is shared by all users.

Answer:

В

To Get Premium Files for LFCS Visit

https://www.p2pexams.com/products/lfcs

For More Free Questions Visit

https://www.p2pexams.com/linux-foundation/pdf/lfcs

