

Free Questions for 202-450 by ebraindumps

Shared by Yang on 09-08-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question Type: MultipleChoice

In a BIND zone file, what does the @ character indicate?

Options:

- A- It's the fully qualified host name of the DNS server
- B- It's an alias for the e-mail address of the zone master
- C- It's the name of the zone as defined in the zone statement in named.conf
- D- It's used to create an alias between two CNAME entries

Answer:

C

Question 2

Question Type: MultipleChoice

What word is missing from the following excerpt of a named.conf file?

```
_____ friends {
    10.10.0.0/24; 192.168.1.0/24;
};
options {
    allow-query { friends; };
};
```

Options:

A- networks

B- net

C- list

D- acl

E- group

Answer:

D

Question Type: MultipleChoice

What is DNSSEC used for?

Options:

- A- Encrypted DNS queries between nameservers
- B- Cryptographic authentication of DNS zones
- C- Secondary DNS queries for local zones
- D- Authentication of the user that initiated the DNS query
- E- Encrypting DNS queries and answers

Answer:

В

Question 4

Question Type: 1	MultipleChoice
--------------------------	-----------------------

Which of the following DNS records could be a glue record?

Options:

A- ns1.labA198.51.100.53

B- labNS198.51.100.53

C- ns1.labNS198.51.100.53

D- ns1.A198.51.100.53

E- ns1.labGLUE198.51.100.53

Answer:

Α

Question 5

Question Type: MultipleChoice

What option for BIND is required in the global options to disable recursive queries on the DNS server by default?

Options:

- A- allow-recursive-query (none;);
- B- allow-recursive-query off;
- C- recursion { disabled; };
- D- recursion { none; };
- E- recursion no;

Answer:

Ε

Question 6

Question Type: MultipleChoice

Performing a DNS lookup with dig results in this answer:

```
;; QUESTION SECTION:
;5.123.168.192.in-addr.arpa.
                                             PTR
                                     IN
;; ANSWER SECTION:
5.123.168.192.in-addr.arpa. 600
                                             PTR linuserv.example.net.123.168.192.in-addr.arpa.
                                     IN
;; AUTHORITY SECTION:
                                                    linuserv.example.net.
123.168.192.in-addr.arpa. 600
                                     IN
                                             NS
;; ADDITIONAL SECTION:
linuserv.example.net. 600
                                                    192.168.123.5
                                     IN
                                             Α
```

Options:

- A- There is no . after linuserv.example.net in the PTR record in the forward lookup zone file
- B- There is no . after linusery in the PTR record in the forward lookup zone file
- C- There is no . after linuserv.example.net in the PTR record in the reverse lookup zone file
- D- The . in the NS definition in the reverse lookup zone has to be removed

Answer:

Question Type: MultipleChoice

Which of these tools, without any options, provides the most information when performing DNS queries?

Options:

- A- dig
- B- nslookup
- C- host
- D- named-checkconf
- E- named-checkzone

Answer:

Α

Question Type: MultipleChoice

Which command is used to configure which file systems a NFS server makes available to clients?

Options:


- A- exportfs
- B- mkfs.nfs
- C- mount
- D- nfsservct1
- E- telinit

Answer:

Α

Question 9

Question Type: MultipleChoice



A, B

Question Type: MultipleChoice

Which of the following options are valid in /etc/exports? (Choose two.)

A user requests a "hidden" Samba share, named confidential, similar to the Windows Administration Share. How can this be configured?

```
A
    [confidential]
    comment = hidden share
    path = /srv/smb/hidden
    write list = user
    create mask = 0700
```

В

[\$confidential]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700

directory mask = 0700

```
C
  [#confidential]
  comment = hidden share
  path = /srv/smb/hidden
  write list = user
  create mask = 0700
  directory mask = 0700
```

[%confidential] comment = hidden share path = /srv/smb/hidden write list = user create mask = 0700 directory mask = 0700

```
[confidential$]
comment = hidden share
path = /srv/smb/hidden
write list = user
create mask = 0700
directory mask = 0700
```

Options:

Ε

- A- Option A
- **B-** Option B
- C- Option C
- D- Option D
- E- Option E

Answer:

Ε

Question Type: MultipleChoice

Which of the following statements is true regarding the NFSv4 pseudo file system on the NFS server?

Options:

- A- It must be called /exports
- B- It usually contains bind mounts of the directory trees to be exported
- C- It must be a dedicated partition on the server
- D- It is defined in the option Nfsv4-Root in /etc/pathmapd.conf
- E- It usually contains symlinks to the directory trees to be exported

Answer:

В

Question 12

Question Type: MultipleChoice

Options:		
A- winbindd		
B- nmbd		
C- msadd		
D- admemb		
E- samba		
Answer:		
E		

Which of the following Samba services handles the membership of a file server in an Active Directory domain?

To Get Premium Files for 202-450 Visit

https://www.p2pexams.com/products/202-450

For More Free Questions Visit

https://www.p2pexams.com/lpi/pdf/202-450

