



Free Questions for NS0-162 by certsinside

Shared by Oneill on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You need to increase the number of files that can be created in a volume. Which two methods enable you to achieve this goal? (Choose two.)

Options:

- A- Increase the number of files permitted on the volume.
- B- Set the space guarantee to 'volume'.
- C- Set the fractional reserve to '0'.
- D- Increase the size of the volume.

Answer:

A, D

Question 2

Question Type: MultipleChoice

When you set up an ONTAP cluster, which two SVM types are automatically created? (Choose two.)

Options:

A- admin

B- node

C- data

D- cluster

Answer:

A, B

Question 3

Question Type: MultipleChoice

You want to configure Active Directory domain controller access for NetApp ONTAP cluster administration. In this scenario, which two actions would accomplish this task? (Choose two.)

Options:

- A-** Configure an authentication tunnel through an admin SVM.
- B-** Use the vserver active-directory create command to create a computer account on the domain for a non-CIFS SVM.
- C-** Use the vserver active-directory create command to create a computer account on the domain for a CIFS SVM.
- D-** Configure an authentication tunnel through an existing CIFS SVM.

Answer:

B, D

Explanation:

<https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-adm-auth-rbac%2FGUID-BC7B1934-DDE6-4AFB-A319-6C85D1ADACB6.html>

Configuring an authentication tunnel

If you have already configured a CIFS server for a data SVM, you can use the security login domain-tunnel create command to configure the SVM as a gateway, or tunnel, for AD access to the cluster.

Creating an SVM computer account on the domain

If you have not configured a CIFS server for a data SVM, you can use the vserver active-directory create command to create a computer account for the SVM on the domain.

Question 4

Question Type: MultipleChoice

Which security method would be used to authenticate targets and Initiators In an ISCSI environment?

Options:

A- NIS

B- LDAP

C- /etc/hosts

D- CHAP

Answer:

D

Question 5

Question Type: MultipleChoice

You want to scale out storage performance for read-intensive data across multiple locations. In this scenario, which NetApp feature accomplishes this task?

Options:

- A- FlexClone
- B- FlexVol
- C- FlexCache
- D- Flash Pool


Answer:

C

Question 6

Question Type: MultipleChoice

Exhibit.



You are caching on-premises ONTAP volumes into the cloud with Cloud Volumes ONTAP as shown in the exhibit. In this scenario, which two protocols are supported? (Choose two.)

Options:

- A- SMB
- B- NVMe
- C- iSCSI
- D- NFS

Answer:

C, D

Explanation:

https://cloud.netapp.com/hubfs/ONTAP_Cloud_FAQs-final.pdf

Question 7

Question Type: MultipleChoice

After deploying an ONTAP 9.8 cluster, you want to disable the unused Ethernet ports. In this scenario, which two methods would accomplish this task? (Choose two.)

Options:

- A-** Use ONTAP System Manager.
- B-** Use the command line interface.
- C-** Use Active IQ Config Advisor.

D- Use Active IQ Unified Manager.

Answer:

A, B

To Get Premium Files for NS0-162 Visit

<https://www.p2pexams.com/products/ns0-162>

For More Free Questions Visit

<https://www.p2pexams.com/netapp/pdf/ns0-162>

