



Free Questions for 4A0-103 by actualtestdumps

Shared by Moran on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Click on the exhibit.

```
*A:SRC_R2# show router ldp session

=====
LDP Sessions
=====
Peer LDP Id      Adj Type  State      Msg Sent  Msg Recv  Up Time
-----
10.10.10.1:0     Link     Established  26        26        0d 00:00:59
-----
No. of Sessions: 1
=====
*A:SRC_R2#
```

Why might router R2 have a Link LDP session to R1 (10.10.10.1:0) but not to R3 (10.10.10.3:0)?

Options:

A- LDP is not configured on R2.

- B-** R2 does not have a route to 10.10.10.3.
- C-** LDP is not configured on R3's interface to R2.
- D-** The targeted session is not configured on R2.

Answer:

C

Question 2

Question Type: MultipleChoice

Click on the exhibit.

```
configure router policy-options
  begin
  prefix-list "officeA_subnet"
    prefix 192.168.1.0/30 exact
  exit
  policy-statement "LDP_export"
    entry 10
      from
        prefix-list "officeA_subnet"
      exit
      action reject
    exit
    entry 20
      from
        protocol direct
      exit
      action accept
    exit
  exit
exit
commit
```

This policy is applied as an LDP export policy. In addition to the FECs learned from its neighbors, which FECs will appear in this router's LIB?

Options:

A- All FECs with a prefix of 192.168.1.0/30.

- B-** Local FECs with a prefix of 192.168.1.0/30.
- C-** All FECs excluding 192.168.1.0/30.
- D-** Local FECs excluding 192.168.1.0/30.

Answer:

D

Question 3

Question Type: MultipleChoice

Which of the following about an established LDP session is TRUE?

Options:

- A-** It uses a UDP connection with an arbitrary port number.
- B-** It uses a UDP connection with well-known port number 646.
- C-** It uses a TCP connection with an arbitrary port number.
- D-** It uses a TCP connection with well-known port number 646.

Answer:

D

Question 4

Question Type: MultipleChoice

Which of the following LDP settings can be changed with CLI?

Options:

A- Label space mode

B- Label retention

C- Control mode

D- Keepalive factor


Answer:

D

Question 5

Question Type: MultipleChoice

Click on the exhibit.



Router R2 advertises the aggregate prefix 10.10.10.0/24 into Area 1. Why would LDP aggregate-prefix-match be enabled on router R3?

Options:

- A- To reduce the number of LDP sessions
- B- To reduce the number of LIB and LFIB entries
- C- To bypass the LDP exact prefix match rule
- D- To export summarized routes from OSPF to LDP

Answer:

C

Question 6

Question Type: MultipleChoice

What MPLS function should be performed by a router that receives a data packet with an MPLS label value of 0?

Options:

- A- Push an additional label onto the label stack.

B- Pop the label.

C- Swap the label.

D- Pop the label and push an additional label onto the label stack.

Answer:

B

To Get Premium Files for 4A0-103 Visit

<https://www.p2pexams.com/products/4a0-103>

For More Free Questions Visit

<https://www.p2pexams.com/nokia/pdf/4a0-103>

