



Free Questions for 1Z0-082 by actualtestdumps

Shared by Bates on 09-08-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Which two statements are true about Oracle synonyms?

Options:

- A- A synonym has an object number.
- B- A synonym can be created on an object in a package.
- C- A synonym can have a synonym.
- D- All private synonym names must be unique in the database.
- E- Any user can create a PUBLIC synonym.

Answer:

A, C

Question 2

Question Type: MultipleChoice

In the promotions table, the PROMO_BEGIN_DATE column is of data type date and the default date format is DD-MON-RR.

Which two statements are true about expressions using PROMO_BEGIN_DATE contained in a query?

Options:

- A- to_number(promo_begin_date) - s will return a number.
- B- PROMO_BEGIN_DATE - sysdate will return a number.
- C- PROMO_BEGIN_DATE - sysdate will return an error.
- D- PROMO_BEGIN_DATE - 5 will return a date.
- D- TO_date(PROMO_BEGIN_DATE * 5) will return a date.

Answer:

C, D, D

Question 3

Question Type: MultipleChoice

Which two statements are true about User Authentication in an Oracle Database?

Options:

- A-** Operating System authentication may be used for system-privileged administrative users.
- B-** REKOTE_LOGIN_PASSMOREFILE must be set to exclusive to permit password changes for system-privileged administrative users.
- C-** Password authentication must be used for system-privileged administrative users.
- D-** Password File authentication must be used for system-privileged administrative users.
- E-** Password File authentication is supported for any type of database user.

Answer:

A, C

Question 4

Question Type: MultipleChoice

Which statement is true about database links?

Options:

- A-** Private database link creation requires the same user to exist in both the local and the remote databases.
- B-** A public database link can be created only by sys.
- C-** A database link can be created only between two Oracle databases.
- D-** A public database link can be used by a user connected to the local database instance to connect to any schema in the remote database instance.
- E-** A database link created in a database allows a connection from that database's instance to the target database's Instance, but not vice versa.

Answer:

D

Question 5

Question Type: MultipleChoice

Which two actions can you perform using DBCA for an existing database?

Options:

- A- Create a template that can be used to clone the database.
- B- Change the server mode from dedicated to shared, and vice versa.
- C- Change the character set.
- D- Create an additional listener.
- E- Create nonstandard block size tablespaces.

Answer:

B, C

Question 6

Question Type: MultipleChoice

Which three statements are true about roles?

Options:

- A- All roles granted to a user are set on by default when the user logs in,
- B- Object privileges may not be granted to roles.

- C-** The SET ROLE statement can disable one or more roles for a session.
- D-** Roles must be password protected.
- E-** Roles may be granted to roles.
- F-** The SET ROLE statement can enable one or more roles for a session.

Answer:

B, C, E

Question 7

Question Type: MultipleChoice

An Oracle database session has an uncommitted transaction in progress which updated 5000 rows in a table.

Which three situations does the transaction complete thereby committing the updates?

Options:

A- when a DBA issues a successful SHUTDOWN TRANSACTIONAL statement and the user then issues a COMMIT

- B-** when a CREATE INDEX statement is executed successfully in the same session
- C-** when a COMMIT statement is issued by the same user from another session in the same database instance
- D-** when the session logs out successfully
- E-** when a DBA issues a successful SHUTDOWN IMMEDIATE statement and the user then issues a COMMIT
- F-** when a CREATE TABLE AS SELECT statement is executed unsuccessfully in the same session

Answer:

A, B, D

Question 8

Question Type: MultipleChoice

Which three statements are true about using SQL*Plus?

Options:

- A-** It has its own commands that are separate from any SQL statements.
- B-** It must be downloaded from the Oracle Technology Network (OTN).

- C-** It can run scripts entered at the SQL prompt.
- D-** It can run Recovery Manager (RMAN) commands.
- E-** It has both command-line and graphical user interfaces (GUI).
- F-** It can run scripts passed to it by a shell script.

Answer:

A, B, C

Question 9

Question Type: MultipleChoice

While one of your databases was in mount state, the datafiles were renamed because they had been moved to a new file system. The database was then opened.

Which two statements are true?

Options:

A- DBA_DATA_FILES displays the original name for the data files.

- B-** V\$DATAFILE displays the new names for the data files.
- C-** DBA_DATA_FILES displays both the new name and the old name for the data files.
- D-** DBA_DATA_FILES displays the new name for the data files.
- E-** DBA_DATA_FILES must be resynchronized manually with the control file in order to have it display the new file names.

Answer:

A, C

Question 10

Question Type: MultipleChoice

Examine these SQL statements which execute successfully:

```
CREATE TABLE emp
(emp_no NUMBER(2) CONSTRAINT emp_emp_no_pk PRIMARY KEY,
ename VARCHAR2(15),
salary NUMBER(8,2),
mgr_no NUMBER(2));

ALTER TABLE emp ADD CONSTRAINT emp_mgr_fk
FOREIGN KEY (mgr_no)
REFERENCES emp(emp_no)
ON DELETE SET NULL;

ALTER TABLE emp
× DISABLE CONSTRAINT emp_emp_no_pk
CASCADE;

ALTER TABLE emp
ENABLE CONSTRAINT emp_emp_no_pk;
```

Which two statements are true after execution?

Options:

- A- The primary key constraint will be enabled and deferred.
- B- The foreign key constraint will be enabled and deferred.
- C- The foreign key constraint will be disabled.
- D- The foreign key constraint will be enabled and immediate.
- E- The primary key constraint will be enabled and immediate.

Answer:

C

Question 11

Question Type: MultipleChoice

Which two statements are true about segment types in an Oracle Database?

Options:

- A- Table segments always have two or more extents.
- B- Temporary segments are only stored in a temporary tablespace.
- C- Undo segments are only stored in an undo tablespace.
- D- Cluster segments may contain data from multiple tables.
- E- Index segments always have two or more extents.

Answer:

B

Question 12

Question Type: MultipleChoice

The stores table has a column START_DATE of data type DATE, containing the date the row was inserted. You only want to display details of rows where START_DATE is within the last 25 months. Which where clause can be used?

Options:

- A- WHERE MONTHS_BETWEEN (SYSDATE, start_date) <= 25
- B- WHERE ADD_MONTHS(start_date, 25) <= SYSDATE
- C- WHERE TO_XUMBER(start_date - SYSDATE) <= 25
- D- WHERE MONTHS_BETWEEN (start_date, SYSDATE) <= 25

Answer:

D

To Get Premium Files for 1Z0-082 Visit

<https://www.p2pexams.com/products/1z0-082>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-082>

