

# Free Questions for 1Z0-900 by vceexamstest

Shared by Chase on 09-08-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

**Question Type:** MultipleChoice

Which code snippet prints the exception error message as part of the page output?

### **Options:**

A- <%= exception.message %>

B- <c:out value="\${requestScope['javax.servlet.error.exception']}"/>

C- <% exception.getMessage(); %>

D- <% System.out.println(e.getMessage()) %>

#### **Answer:**

D

# **Question 2**

**Question Type:** MultipleChoice

Given the code fragment:

```
1: @ReguestScoped
2: public class BankActivityService {
3:
4: public void notifyDebit(BankEvent be) {}
5:
6:
7: public void notifyCredit(BankEvent be) {}
8:
9:}
```

Which code can be added to register both of these methods to receive BankEvent notifications only if an instance of BankActivityService is already instantiated in the current context?

### **Options:**

- A- @Observes(notifyObserver=IF\_EXISTS) on line 3 and line 6
- B- @Observes(during=IN\_PROGRESS) on line 1
- C- @Observes(during=AFTER\_COMPLETION) on line 1
- D- @Observes(notifyObserver=IF\_EXISTS) on line 4 and line 7 before method parameter declaration

#### **Answer:**

### **Question Type:** MultipleChoice

You have been asked to implement internationalization in your JSF web application.

Where do you configure the supported locales?

### **Options:**

- A- in the <f:view> tag of the Facelet page
- B- in the web.xml file
- C- in the faces-config.xml file
- D- in the src folder

#### **Answer:**

Α

**Question Type:** MultipleChoice

What is true about Message-Driven Beans (MDBs)?

### **Options:**

- **A-** MDBs can participate in transactions.
- **B-** MDBs are invoked synchronously.
- C- Each MDBs can process messages only from a single client.
- D- MDBs retain data caches between client calls.

#### **Answer:**

Α

# **Question 5**

**Question Type:** MultipleChoice

#### Given the code fragment:

```
@Path ("Employees")
public class EmployeesResource (
     @Inject privace EmployeeManager em;
     @Get
     @Path("{id:[A-Z] [0-9]+}")
    public Employee getEmployee(@PathParam("id") String id) {
        return em.findEmployee(id);
     )
}
```

Which URL triggers the invocation of the getEmployee () method?

### **Options:**

- A- <base url>/Employees/89724
- B- <base url>/Employees/J6349
- C- <base url>/Employees/id:a7280
- D- <base url>/Employees/id/J6349

#### **Answer:**

Α

### **Question Type:** MultipleChoice

Which interface should you implement if you want to be alerted to the lifecycle events surrounding your task being executed by a ManagedExecutorService?

### **Options:**

- A- the Runnable Interface
- B- the ManagedExecutorTask interface
- C- the TaskEventListener interface
- D- the ManagedTaskListener interface

#### **Answer:**

D

# **Question 7**

**Question Type:** MultipleChoice

Which two capabilities are provided by the Java Authentication and Authorization Services (JAAS) API? (Choose two.)

### **Options:**

- A- protecting data from unauthorized viewing by using encryption
- B- verifying that a user is allowed to perform an action
- C- ensuring that data is not modified in transit
- D- verifying identity claims from users

#### **Answer:**

B, C

# **Question 8**

**Question Type:** MultipleChoice

You need to develop a chat application, which allows the display of emoticons and images together with text messages.

How should you configure a WebSocket endpoints to receive both text and binary messages?

### **Options:**

- A- Create two @onMessage methods in the same endpoint with appropriate parameter types.
- B- Define the @onMessage methods in your endpoint with Object as parameter and check the actual type in your code.
- C- You can achieve this only by creating separate WebSocket endpoints for each message type.
- D- Create two @onMessage methods, each with appropriate decoder attribute in the same endpoint.

#### **Answer:**

D

## To Get Premium Files for 1Z0-900 Visit

https://www.p2pexams.com/products/1z0-900

## **For More Free Questions Visit**

https://www.p2pexams.com/oracle/pdf/1z0-900

