

Free Questions for 1Z0-915-1 by ebraindumps

Shared by Santana on 22-07-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

There are more than 10 concurrent users running queries on the DB system. The airport_geo table has been loaded successfully into a HeatWave cluster.

You want to run this query:

SELECT DISTINCT country FROM airport_geo ORDER BY country;

How do you determine whether the query is offloaded to the HeatWave cluster for execution?

Options:

- A- View the Query Execution Plan of the query by running EXPLAIN.
- B- Check the value of the rapid_query_offload_count global status variable.
- **C-** Query the rpd_tables table in performance_schema.
- D- Check the value of the hw_data_scanned global status variable.

Answer:

Α

Question 2

Question Type: MultipleChoice

How can you determine the uptime of a DB system?

Options:

- A- By using the Audit section in Logging information in the OCI Web console
- B- By checking the DB system details in the OCI Web console
- C- By querying performance_schema.global_status from a connected MySQL client
- D- By executing mysql db-system get --db-system-id with OCI CLI

Answer:

С

Question 3

Question Type: MultipleChoice

You have obtained a new tenancy on Oracle Cloud Infrastructure. You first create a VCN by using the VCN Wizard, and then create a MySQL DB system. You want to create a Connection in Database tools to use the SQL Worksheet feature.

Which three steps are required? (Choose three.)

Options:

- A- Create an OCI password.
- B- Create an encryption key.
- C- Create an OCI vault.
- D- Create an OCI secret.
- E- Import an X.509 certificate into the OCI vault.

Answer:

B, C, D

Question 4

Question Type: MultipleChoice

Which two are true about creating a Bastion service to connect to a MySQL DB system? (Choose two.)

Options:

- A- The Bastion service must have a public IP address.
- B- The Bastion service must be in the same VCN as the DB system.
- C- The Bastion CIDR block allowlist must include the IP address of all valid client machines.
- D- The Bastion CIDR block allowlist must include the IP address of the DB system.
- E- The Bastion subnet must have an ingress rule to allow stateful connections on the MvSQL DB system port number.

Answer:

B, C

Question 5

Question Type: MultipleChoice

Which table option defines a Lakehouse external table based on a CSV file?

Options:

```
A- ENGINE=csv SECONDARY_ENGINE=rapid ENGINE_ATTRIBUTE='{"file": [{"region": "us-ashburn-1", "namespace": "mytenant", "bucket": "bucket01", "name": "airport.csv"}] }'

B- ENGINE=csv SECONDARY_ENGINE=lakehouse ENGINE_ATTRIBUTE='{"file": [{"region": "us-ashburn-1", "namespace": "mytenant", "bucket": "bucket01", "name": "airport.csv"}] }'

C- ENGINE=lakehouse SECONDARY_ENGINE=csv ENGINE_ATTRIBUTE='{"file": [{"region": "us-ashburn-1", "namespace": "mytenant", "bucket": "bucket01", "name": "airport.csv"}] }'

D- ENGINE=lakehouse SECONDARY_ENGINE=rapid ENGINE_ATTRIBUTE='{"file": [{"region": "us-ashburn-1", "namespace": "mytenant", "bucket": "bucket01", "name": "airport.csv"}] }'
```

Answer:

С

Question 6

Question Type: MultipleChoice

Which two are true about MySQL HeatWave configuration resources? (Choose two.)

Options:

- A- You can set a value for any global MySQL variable in a configuration.
- B- You must copy the configuration before changing any variable values.
- C- You can view custom configuration sets with the OCI CLI oci mysql db-system get command.
- **D-** You can compare configurations in the same compartment in OCI console.

Answer:

A, D

To Get Premium Files for 1Z0-915-1 Visit

https://www.p2pexams.com/products/1z0-915-1

For More Free Questions Visit

https://www.p2pexams.com/oracle/pdf/1z0-915-1

