Question 1

Due to an integration issue, logs files are full. Because of that no new logs have been logged. Given this Business Manager logging configuration how would you solve the issue your client is experimenting in their site?

Options:

A) Change root log level to error.

B) Change integration log level to error.

C) Remove integration log level.

D) Disable integration log level by putting log level to OFF.

E) Remove all log levels and activate them again when the issue is solved.

Answer:

D

Question 2

During the discovery phase the client tells you that certain categories for the storefront will need dynamic categorization. What is the best approach to list under "New products" category the products that have been online less than 30 days in the website.

Options:

A) None of these options are valid because this may not scale if used widely in a large catalog even though caching may prevent the storefront from hitting the search engine too hard.

B) Create a new Search Refinement for "New products". To display products accordingproducts.activeData.daysAvailable

C) None of these options are valid even though they scale in large catalogs. Dynamic categorization is not available OOTB in Salesforce Commerce Cloud.

D) Create a new sorting rule withproducts.activeData.daysAvailablefor "New products" category.

Answer:

C

Question 3

In Reports and Dashboards tools you find some requests with a very poor cache hit ratio (less than 20%). What can you do in order to increase cache hit ratio and improve website performance? Here a few examples of triggered URL:

Options:

A) Use URL hashes for parameter campaign

B) New cache partition

C) Create custom cache for this request.

D) Always use the same URL parameter order

Answer:

A, D

Question 4

Question Type: **MultipleChoice**

Cross-site scripting (XSS) lets attackers inject client-side JavaScripts into a web page viewed by a targeted user. Which encoding will you use in the<isprint>tag to avoid cross site scripting:

<script type='text/javascript'> var data = '<isprint encoding='' value='${unsafeData} '/>'; </script>

Options:

A) jsblock

B) jsattribute

C) htmlunquote

D) jshtml

Answer:

A

Question 5

Question Type: **MultipleChoice**

Our client notifies you that the iOS application made a few months ago for some reason now is experiencing a degradation service and some requests take too long to respond. What tool will use it in order to check if there is any issue with OCAPI calls?

Options:

A) Code Profiler

B) Log center filtering by request type OCAPI

C) Pipeline Profiler filtering results with Extended script development mode.

D) Reports & Dashboard under Technical tab.

Answer:

D

Question 6

Question Type: MultipleChoice

You have been requested to integrate in the checkout and user profile forms and address suggestions. To do that you'll need to sync with the 3rd party provider to gather needed info to properly configure the service to retrieve the addresses. What should request the provider?

Options:

A) SLA: Service Level Agreement

B) Credentials

C) IP, port and protocol

D) API and documentation to perform the integration.

Answer:

A, B

Question 7

Question Type: MultipleChoice

As a Commerce Architect you should ensure that the cache hit ratio for your storefront is over 70%. During your investigation you realize that a significant number of pages are not cached. From which tool can you get this information?

Options:

A) Page Speed

B) Google Lighthouse

C) Code Profiler

D) Pipeline Profiler

E) Reports & Dashboard

Answer:

E