



Free Questions for PDI by vceexamstest

Shared by Puckett on 24-05-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Consider the following code snippet for a Visualforce page that is launched using a Custom Button on the Account detail page layout.

```
<apex:page standardController="Account">
  <!-- additional UI elements -->
  <apex:commandButton action="{!save}" value="Save"/>
</apex:page>
```

When the Save button is pressed the developer must perform a complex validation that involves multiple objects and, upon success, redirect the user to

another Visualforce page.

What can the developer use to meet this business requirement?

Options:

- A- Custom controller
- B- Controller extension
- C- Validation rule

D- Apex trigger

Answer:

B

Question 2

Question Type: MultipleChoice

A developer created a trigger on the Account object. While testing the trigger, the developer sees the error message 'Maximum trigger depth

exceeded',

What could be the possible causes?

Options:

A- The developer does not have the correct user permission.

B- The trigger is getting executed multiple times.

- C- The trigger is a a helper class.
- D- The trigger does not have sufficient code coverage.

Answer:

B

Question 3

Question Type: MultipleChoice

A developer at AW Computing is tasked to create the supporting test class for a programmatic customization that leverages records stored within the custom object,

Pricing Structure c. AW Computing has a complex pricing structure for each item on the store, spanning more than 500 records.

Which two approaches can the developer use to ensure Pricing __Structure__c records are available when the test class is executed?

Choose 2 answers

Options:

- A- Use a Test Date Factory class.
- B- Use the @raTeat (seeAllData=true) annotation.
- C- Use the Test. leadtear{} method,
- D- Use without shering on the class declaration.

Answer:

A, C

Question 4

Question Type: MultipleChoice

Universal Containers has an order system that uses an Order Number to identify an order for customers and service agents. Order records will be imported into Salesforce.

How should the Order Number field be defined in Salesforce?

Options:

- A- Direct Lookup

B- External ID and Unique

C- Lookup

D- Indirect Lookup

Answer:

B

Question 5

Question Type: MultipleChoice

What is the value of the Trigger.old context variable in a before insert trigger?

Options:

A- A list of newly created sObjects without IDs

B- null

C- Undefined

D- An empty list of sObjects

Answer:

D

Question 6

Question Type: MultipleChoice

A company has a custom object, Order__c, that has a required, unique external ID field called OrderNumber__c.

Which statement should be used to perform the DML necessary to insert new records and update existing records in a list of order__c records

using the external ID field?

A.

```
merge orders Order_Number__c;
```

B.

```
merge orders;
```

C.

```
upsert orders Order_Number__c;
```

D.

```
upsert orders;
```

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

B

Question 7

Question Type: MultipleChoice

Which annotation exposes an Apex class as a RESTful web service?

A.

```
@AuraEnabled(cacheable=true)
```

B.

```
@RemoteAction
```

C.

```
@RestResource(urlMapping='/myService/**')
```

D.

```
@HttpInvocable
```

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

C

Question 8

Question Type: MultipleChoice

Developers at Universal Containers (UC) use version control to share their code changes, but they notice that when they deploy their code to different environments they often have failures. They decide to set up Continuous Integration (CI).

What should the UC development team use to automatically run tests as part of their CI process?

Options:

A- Force.com Toolkit

B- Salesforce CLI

C- Visual Studio Code

D- Developer Console

Answer:

A

Question 9

Question Type: MultipleChoice

In the following example, which sharing context will myMethod execute when it is invoked?

```
public Class myClass {  
    public void myMethod() { /* implementation */ }  
}
```

Options:

- A- Sharing rules will not be enforced for the running user.
- B- Sharing rules will be Inherited from the calling context.
- C- Sharing rules will be enforced by the instantiating class.
- D- Sharing rules will be enforced for the running user.

Answer:

B

Question 10

Question Type: MultipleChoice

Which three resources in an Aura component can contain JavaScript functions? Choose 3 answers

Options:

- A- Renderer
- B- Style
- C- Helper
- D- Controller
- E- Design

Answer:

A, C, D

Question 11

Question Type: MultipleChoice

Which three data types can a SOQL query return?

Choose 3 answers

Options:

A- List

B- Long

C- Integer

D- sObject

E- Double

Answer:

A, C, D

Question 12

Question Type: MultipleChoice

While developing an Apex class with custom search functionality that will be launched from a Lightning Web Component, how can the developer ensure only records accessible to the currently logged in user are displayed?

A.

Use the `WITH SECURITY_ENFORCED` clause within the SOQL.

B.

Use the `inherited sharing` keyword.

C.

Use the `with sharing` keyword.

D.

Use the `without sharing` keyword.

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

C

To Get Premium Files for PDI Visit

<https://www.p2pexams.com/products/pdi>

For More Free Questions Visit

<https://www.p2pexams.com/salesforce/pdf/pdi>

