Free Questions for FCP_FMG_AD-7.4

Shared by Fitzgerald on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

An administrator created a new global policy package that includes header and footer policies and then assigned it to an ADOM. What are two outcomes of this action? (Choose two.)

Options:

- A- To assign another global policy package later to the same ADOM. you must unassign this policy first.
- B- After you assign the global policy package to an ADOM. the impacted policy packages become hidden in that ADOM.
- C- You can edit or delete all the global objects in the global ADOM.
- D- You must manually move the header and footer policies after the policy assignment.

Answer:

A, C

Question 2

Question Type: MultipleChoice

Which statement about the upgrade of ADOMs on FortiManager is true?

Options:

- A- To ensure database consistency, you must upgrade an ADOM before you upgrade the devices in it.
- B- Upgrading the FortiManager version upgrades all existing ADOMs automatically.
- C- You cannot import policies from a device until its FortiOS version matches the ADOM version.
- D- ADOMs using global objects can be upgraded before or after upgrading the global database ADOM.

Answer:

Α

Question 3

Question Type: MultipleChoice

An administrator configures a new OSPF area on FortiManager and has not yet pushed the changes to the managed FortiGate device. In which database will the configuration be saved?

|--|

- A- Device-level database
- **B-** ADOM-level database
- **C-** Configuration-level database
- D- Revision history database


Answer:

Α

Question 4

Question Type: MultipleChoice

Exhibit.



What is true about the objects highlighted in the image?

Options:

- A- They can be set to optional or required.
- B- They are available across all ADOMs by default.
- **C-** They can be used as variables in scripts.
- **D-** They cannot be created in the global database ADOM.

Answer:

С

Question 5

Question Type: MultipleChoice

Push updates are failing on a FortiGate device that is located behind a NAT device. Which two settings should the administrator check? (Choose two.)

Options:

- A- That the override server IP address is set on FortiManager and the NAT device
- B- That the external IP address on the NAT device is set to DHCP and configured with the virtual IP
- C- That the NAT device IP address and correct ports are configured on FortiManager
- D- That the virtual IP address and correct ports are set on the NAT device

Answer:

C, D

Question 6

Question Type: MultipleChoice

Refer to the exhibit.

FortiManager script Create New Script Script Name Routing Comments Type CLI Script Run script on Device Database Q 🛊 🕴 Script details Search... 1 config router prefix-list 2 edit public 3 config rule 4 edit 1 5 set prefix 0.0.0.0/0 6 set action permit 7 next 8 edit 2 9 set prefix 8.8.8.8/32 10 set action deny 11 end Revert All Changes Advanced Device Filters >

Which two results occur if the script is run using the Device Database option? (Choose two.)

Options:

- A- You must install these changes on a managed device using the Install Wizard.
- B- The successful execution of a script on the Device Database creates a new revision history.
- C- The script history shows successful installation of the script on the remote FortiGate device.
- D- The device Config Status is tagged as Modified.

Answer:

A, D

To Get Premium Files for FCP_FMG_AD-7.4 Visit

https://www.p2pexams.com/products/fcp_fmg_ad-7.4

For More Free Questions Visit

https://www.p2pexams.com/fortinet/pdf/fcp-fmg-ad-7.4

