# Free Questions for NSE6\_FNC-7.2

Shared by Daniel on 04-10-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

#### **Question Type:** MultipleChoice

Refer to the exhibit.

Adapte	ers - Total: 12			
Status	Host Status	Physical Address	Connected Container	Rule Name
	<u>@</u>	00:03:E3:C9:81:52	Wired Infrastructure	
	₽	00:06:D6:AC:7F:17	Wired Infrastructure	Lab Hosts

Considering the host status of the two hosts connected to the same wired port, what will happen if the port is a member of the Forced Registration port group?

#### **Options:**

- A- The port will be provisioned for the normal state host, and both hosts will have access to that VLAN.
- B- The port will not be managed, and an event will be generated.

C-	The	port wil	l be p	orovisioned	to the	e registration	network,	and both	hosts	will be	e isolated	d.

**D-** The port will be administratively shut down.


#### **Answer:**

С

# **Question 2**

**Question Type:** MultipleChoice

Refer to the exhibit.



If a host is connected to a port in the Building 1 First Floor Ports group, what must also be true to match this user/host profile?

#### **Options:**

- A- The host must have a role value of contractor, an installed persistent agent or a security access value of contractor, and be connected between 6 AM and 5 PM.
- B- The host must have a role value of contractor or an installed persistent agent, a security access value of contractor, and be connected between 9 AM and 5 PM.
- C- The host must have a role value of contractor or an installed persistent agent and a security access value of contractor, and be connected between 6 AM and 5 PM.
- D- The host must have a role value of contractor or an installed persistent agent or a security access value of contractor, and be connected between 6 AM and 5 PM.

#### **Answer:**

D

### **Question 3**

**Question Type:** MultipleChoice

Which three are components of a security rule? (Choose three.)

### **Options:**

- A- Methods
- **B-** Security String
- C- Trigger
- D- User or host profile
- E- Action

#### **Answer:**

C, D, E

# **Question 4**

**Question Type:** MultipleChoice

Which devices would be evaluated by device profiling rules?

Options:
A- Rogue devices, each time they connect
B- All hosts, each time they connect
C- Known trusted devices, each time they change location
D- Rogue devices, only when they are initially added to the database
Answer:
A
Question 5
Question Type: MultipleChoice

Which two methods can be used to gather a list of installed applications and application details from a host? (Choose two.)

### **Options:**

A- Agent technology

- B- Portal page on-boarding options
- **C-** MDM integration
- D- Application layer traffic inspection

#### **Answer:**

A, C

## **Question 6**

#### **Question Type:** MultipleChoice

Which two things must be done to allow FortiNAC to process incoming syslog messages from an unknown vendor? (Choose two.)

#### **Options:**

- A- A security event parser must be created for the device.
- B- The device sending the messages must be modeled in the Network Inventory view.
- **C-** The device must be added as a patch management server.
- D- The device must be added as a log receiver.

Λ	n	0		_	Nº	
А	П	SI	w	e	г	ī

A, D

# To Get Premium Files for NSE6\_FNC-7.2 Visit

https://www.p2pexams.com/products/nse6\_fnc-7.2

### **For More Free Questions Visit**

https://www.p2pexams.com/fortinet/pdf/nse6-fnc-7.2

