

Free Questions for HCL-BF-PRO-10

Shared by Dean on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

An administrator managing BigFix on a Windows Root server is planning an automatic upgrade of the BigFix platform to version 10.0.8.

Which of the following is the best way to update all of the BigFix installers that were originally created by the Installation Generator during the initial BigFix Server install?

Options:

- A-** Download each of the installer files for the version 10.0.8 components from the License Download portal webpage and replace the files on the BigFix Server.
- B-** No action is required because the BigFix installers are automatically updated with the latest version when a new version of the BigFix platform is released.
- C-** The Site Administrator must choose the Update Windows Installation Folders from the Setup tab in the BigFix Administration Tool.
- D-** Take action on the Fixlet named Fixlet Updated Windows Installation Folders - BigFix version 10 0 8 Nov; Available!

Answer:

D

Question 2

Question Type: MultipleChoice

Which of the following settings can be used to improve the response time of the WebUI by adjusting the refresh interval of the WebUI cache? (Choose two.)

Options:

- A- `_WebUIAppEnv_SP_QUEUE_CONCURRENT`
- B- `_WebUIAppEnv_DATA_REFRESH_SECONDS`
- C- `_WebUIAppEnv_CACHE_INTERVAL`
- D- `_WebUIAppEnv_SITE_CACHE_SIZE`
- E- `_WebUIAppEnv_CACHE_TTL`

Answer:

A, E

Question 3

Question Type: MultipleChoice

How can the Relay Diagnostics page be secured?

Options:

- A- Set the client setting `_BESRelay_Diagnostics_Disable` to a value of 1.
- B- Configure the relay proxy to only allow internal connections.
- C- Create an `.htaccess` file to redirect the diagnostics url.
- D- Assign a value to the `_BESRelay_Diagnostics_Password` client setting.

Answer:

D

Question 4

Question Type: MultipleChoice

What is the recommended scalability limits to consider when designing a WebUI server on BigFix v10.x?

Options:

- A- WebUI supports up to 36 concurrent users on a maximum of 300,000 endpoints.
- B- WebUI supports up to 20 concurrent users on a maximum of 300,000 endpoints.
- C- WebUI supports up to 100 concurrent users on a maximum of 250,000 endpoints.
- D- WebUI has no scalability limits and can support all concurrent users and endpoints as long as additional hardware is added.

Answer:

A

Question 5

Question Type: MultipleChoice

Several BigFix clients are having an issue with receiving new actions. These clients sometimes show as active in the Console appearing in black with a recent Last Report time. After 45 minutes these same clients appear offline. Sending a Force Refresh causes them to appear active again, but after another 45 minutes, they show as inactive once more.

What Task can be run to collect information about the Client Evaluation Cycle to help determine what might be causing this issue?

Options:

- A- 353 TROUBLESHOOTING: Run BES Client Diagnostics
- B- 1102 TROUBLESHOOTINGRun BigFix Server Diagnostic
- C- 545 TROUBLESHOOTING: Upload BES Relay Logs
- D- 361 TROUBLESHOOTING: Enable BES Client Usage Profiler

Answer:

D

Question 6

Question Type: MultipleChoice

When creating roles in Web Reports, which of the following check boxes are available to define permissions? (Choose three.)

Options:

- A- Allow creating and saving of scheduled activities.
- B- Allow editing of public filters, reports, and labels.

- C- Allow creating and saving of custom content.
- D- Allow editing of email server.
- E- Restrict view by console user.
- F- Restrict view by WebUI user.

Answer:

B, C, E

Question 7

Question Type: MultipleChoice

What is the default port used for BigFix Web Reports to connect?

Options:

- A- Port 443
- B- Port 52311
- C- Port 8083

D- Port 80

Answer:

C

Question 8

Question Type: MultipleChoice

A BigFix Non-Master Operator takes an action on several patch Fixlets and targets computers by selecting an automatic computer group. Instead of including those Fixlets in a Baseline, the operator decides to select all of the Fixlets in the Console and create a Multiple Action Group. This causes an error to be displayed in the Console.

Which of the following statements describes the reason for the error?

Options:

- A- A Multiple Action Group can only be created from the WebUI.
- B- A Multiple Action Group can only be created by a Master operator.
- C- One or more of the Fixlets that are selected do not contain a default action.

D- The operator does not have Write permission to the computer group that they are targeting.

Answer:

C

Question 9

Question Type: MultipleChoice

A BigFix Administrator is designing an environment to support a highly distributed environment with over 1000 remote sites with relays. When planning Top Level Relays which of the following should be considered?

Options:

- A-** A Top Level Relay has no limit as to the number of relays they can manage.
- B-** A Top Level Relay can manage up to 40 relays.
- C-** A Top Level Relay can manage up to 80 relays.
- D-** A Top Level Relay can manage up to 120 relays.

Answer:

D

Question 10

Question Type: MultipleChoice

Which of the following must be performed by the Site Administrator?

Options:

- A-** Create new analyses in an external site.
- B-** Import custom reports in Web Reports
- C-** Set and modify global system options.
- D-** Take action on patch Baselines

Answer:

C

Question 11

Question Type: MultipleChoice

The network team does not allow UDP to be used on a segment of the network that hosts servers that are used to process credit card payments. Actions that target those servers stay in Not Reported status for a long time and can take up to a day to receive them.

Which of the following client settings when set with the appropriate values can be used to resolve this issue? (Choose two.)

Options:

- A- _BESClient_Comm_CommandPollEnable
- B- _BESClient_Comm_CommandPollInterval
- C- _BESClient_CommandPoll
- D- _BESClient_Comm_CommandPollIntervalSeconds
- E- _BESClient_CommandPollEnable

Answer:

A, D

Question 12

Question Type: MultipleChoice

How can you create a schedule to delete duplicate computer records from the BigFix database?

Options:

- A- Using the BigFix Administration Tool
- B- Using the BigFix Console
- C- Using the BigFix WebUI
- D- Using the BES Remove Utility

Answer:

A

To Get Premium Files for HCL-BF-PRO-10 Visit

<https://www.p2pexams.com/products/hcl-bf-pro-10>

For More Free Questions Visit

<https://www.p2pexams.com/hclsoftware/pdf/hcl-bf-pro-10>

