# Free Questions for 202-450

Shared by Livingston on 04-10-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

**Question Type:** MultipleChoice

In which CIFS share must printer drivers be placed to allow Point'n'Print driver deployment on Windows?

### **Options:**

- A- winx64drv\$
- B- print\$
- C- The name of the share is specified in the option print driver share within each printable share in smb.conf
- D- pnpdrivers\$
- E- NETLOGON

#### **Answer:**

В

# **Question 2**

**Question Type:** MultipleChoice

How must Samba be configured such that it can check CIFS passwords against those found in /etc/passwd and /etc/shadow?

### **Options:**

- A- Set the parameters "encrypt passwords = yes" and "password file = /etc/passwd"
- B- Set the parameters "encrypt passwords = yes", "password file = /etc/passwd" and "password algorithm = crypt"
- C- Delete the smbpasswd file and create a symbolic link to the passwd and shadow file
- D- It is not possible for Samba to use /etc/passwd and /etc/shadow directly
- E- Run smbpasswd to convert /etc/passwd and /etc/shadow to a Samba password file

#### **Answer:**

D

# **Question 3**

**Question Type:** MultipleChoice

Which of the following Samba configuration parameters is functionally identical to the parameter read only=yes?

### **Options:**

- A- browseable=no
- B- read write=no
- **C-** writeable=no
- D- write only=no
- E- write access=no

#### **Answer:**

С

# **Question 4**

### **Question Type:** MultipleChoice

The program vsftpd, running in a chroot jail, gives the following error:

```
/bin/vsftpd: error while loading shared libraries: libc.so.6: cannot open shared object file: No such file or directory.
```

Which of the following actions would fix the error?

0	n	ti	O	n	S	•
	M	•	$\mathbf{}$		$\mathbf{\mathbf{U}}$	

- A- The file /etc/ld.so.conf in the root filesystem must contain the path to the appropriate lib directory in the chroot jail
- B- Create a symbolic link that points to the required library outside the chroot jail
- C- Copy the required library to the appropriate lib directory in the chroot jail
- D- Run the program using the command chroot and the option--static\_libs

C

# **Question 5**

**Question Type:** MultipleChoice

With fail2ban, what is a 'jail'?

### **Options:**

A- A netfilter rules chain blocking offending IP addresses for a particular service

B- A group of services on	the server which should be	monitored for similar	attack patterns in the log files

- C- A filter definition and a set of one or more actions to take when the filter is matched
- D- The chroot environment in which fail2ban runs

C

# **Question 6**

### **Question Type:** MultipleChoice

What is the name of the network security scanner project which, at the core, is a server with a set of network vulnerability tests?

### **Options:**

- A- NetMap
- **B-** OpenVAS
- C- Smartscan
- **D-** Wireshark

В

# **Question 7**

### **Question Type:** MultipleChoice

The content of which local file has to be transmitted to a remote SSH server in order to be able to log into the remote server using SSH keys?

### **Options:**

A- ~/.ssh/authorized\_keys

B- ~/.ssh/config

C- ~/.ssh/id\_rsa.pub

D- ~/.ssh/id\_rsa

E- ~./ssh/known\_hosts

#### **Answer:**

Α

Qu	esti	on	8

**Question Type:** FillInTheBlank

What command creates a SSH key pair? (Specify ONLY the command without any path or parameters)

#### **Answer:**

# **Question 9**

**Question Type:** MultipleChoice

When the default policy for the netfilter INPUT chain is set to DROP, why should a rule allowing traffic to localhost exist?

**Options:** 

- A- All traffic to localhost must always be allowed
- B- It doesn't matter; netfilter never affects packets addressed to localhost
- C- Some applications use the localhost interface to communicate with other applications
- D- syslogd receives messages on localhost
- E- The iptables command communicates with the netfilter management daemon netfilterd on localhost to create and change packet filter rules

С

# **Question 10**

**Question Type:** MultipleChoice

Which of the following sshd configuration should be set to no in order to fully disable password based logins? (Choose two.)

### **Options:**

A- PAMAuthentication

B- ChallengegeResponseAuthentication **C-** PermitPlaintextLogin **D-** UsePasswords E- PasswordAuthentication **Answer:** B, E **Question 11 Question Type:** MultipleChoice Which Linux user is used by vsftpd to perform file system operations for anonymous FTP users?

### **Options:**

- A- The Linux user which runs the vsftpd process
- B- The Linux user that owns the root FTP directory served by vsftpd
- C- The Linux user with the same user name that was used to anonymously log into the FTP server

D-	The Linux user root,	but vsftpd grant	s access to anony	ymous users only	to globally	y read-/writeable files

	E	- The Linu	x user s	specified in	the	configuration	option	ftp	username
--	---	------------	----------	--------------	-----	---------------	--------	-----	----------

Ε

# **Question 12**

**Question Type:** MultipleChoice

What option in the client configuration file would tell OpenVPN to use a dynamic source port when making a connection to a peer?

### **Options:**

A- src-port

B- remote

**C-** source-port

D- nobind

E- dynamic-bind

Λ	n	01	.,	_	100	
А	•	SI	N	ㄷ	•	

D

# To Get Premium Files for 202-450 Visit

https://www.p2pexams.com/products/202-450

# **For More Free Questions Visit**

https://www.p2pexams.com/lpi/pdf/202-450

