

Free Questions for **PL-400**

Shared by **Fitzpatrick** on **04-10-2024**

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: Hotspot

You are composing a request to the Microsoft Dataverse Web API that updates existing account records in Dataverse and returns resulting records in the response.

You need to complete the request.

Which value should you use for each property? To answer, select the appropriate options in the Value for Property area.

NOTE: Each correct selection is worth one point.

Property values

Property	Value
Method	<input type="text" value="PATCH"/> GET PATCH POST
Header	<input type="text" value="Prefer: return=representation"/> If-None-Match: null Prefer: return=representation MSCRM.SuppressDuplicateDetection: false

Answer:

Question 2

Question Type: MultipleChoice

You create a custom page that is used as a contextual dialog in a model-driven app.

The app must be able to receive two contextual parameters by passing a concatenated string. The string must use the pipe (|) symbol with the recordId parameter.

You need to compose the formulas to extract parameter information.

Which two formulas should you compose? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A.

```
Left(Param("recordId"), Find("|", Param("recordId")) - 1)
```

B.

```
Left(Param("recordId"), Len(Param("recordId")) - Find("|", Param("recordId")))
```

C.

```
Right(Param("recordId"), Len(Param("recordId")) - Find("|", Param("recordId")))
```

D.

```
Right(Param("recordId"), Find("|", Param("recordId")) - 1)
```

Options:

A- Option A

B- Option B

C- Option C

D- Option D

Answer:

A, C

Question 3

Question Type: MultipleChoice

A Microsoft Dataverse database contains two custom tables named TableA and TableB. The tables are configured with the following:

- * A one-To-many relationship is configured between TableA and TableB.
- * A lookup to TableA appears on a form in TableB.
- * Both tables are components of an unmanaged solution.
- * Both tables are components in a Power BI report.

You receive an error when attempting to delete Table

Options:

A- You need to delete the table.

What should you do?

A- Remove TableA from the unmanaged solution.

B- Remove the relationship between TableA and TableB.

C- Remove the lookup field to TableA on the TableB form.

D- Remove TableA from the Power BI report.

Answer:

B

Question 4

Question Type: Hotspot

You are developing a business process flow.

JavaScript must be used to implement additional business logic in the business process flow.

You need to evaluate the JavaScript code.

What is the result of running each code segment? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

JavaScript code segment	Code Result
<pre>formContext.getControl("test_number").setVisible(false);</pre>	<p>Hides only the control in the body of the form</p> <p>Hides only the control in the business process flow</p> <p>Hides controls in the body of the form and the bus</p>
Answer:	
Explanation:	
<pre>formContext.data.process.addOnStageChange(testFunction);</pre>	<p>Adds an event handler to enable a function named the business process flow stage changes</p> <p>Adds an event handler to enable a function named before the business process flow stage changes</p> <p>Adds an event handler to enable a function named the business process flow stage is selected</p>
https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/clientapi-reference/formcontext	
https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/formcontext-data-process/eventhandlers/addonstagechange	
https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/clientapi/reference/formcontext-data-process/eventhandlers/addonstagechange	

Question 5

Question Type: Hotspot

You need to complete a Power Apps component framework (PCF) control.

How should you define the order in the manifest? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

```
<resources>  
<code path="scripts/HelloWorldControlWave.js" order="1" />  
<code path="scripts/HelloWorldControlRandom.js" order="2" />  
Answer path="style/HelloWorldControl.css" order="
```

1
2
3

Explanation:

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/css>

```
<html path="HelloWorldControlWaveRandom.htm" order="
```

<https://docs.microsoft.com/en-us/powerapps/developer/component-framework/manifest-schema-reference/html>

```
</resources>
```

1
2
3

Question 6

Question Type: DragDrop

You are creating technical designs for several complex business processes.

You need to implement custom business logic based on the requirements.

Which implementation methods should you use? To answer, drag the appropriate implementation methods to the correct requirements. Each implementation method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Implementation methods	Answer Area	
	Requirement	Implementation method
Business rule	Access current and new values when data is updated.	
Plug-in		
https://docs.microsoft.com/en-us/power-automate/scheduled-tasks Power Automate flow	Run on a schedule	
Plug-in		

Question 7

Question Type: Hotspot

A clothing store uses Power Apps apps to interact with customers. Customer data is stored in Microsoft Dataverse.

The store offers discounts for customers. You assign a group discount to all customers in a category. Applicable group discounts are added to any customer-specific discounts. Discount information is stored in the following columns:

Information type	Column
Group discount	store_groupdiscount
Personal discount	store_personaldiscount
Total discount	store_totaldiscount

before the order is fulfilled and delivered.

the answer area.

NOTE: Each correct selection is worth one point.

Trigger setting	Configuration
Filtering attribute	
Answer:	store_groupdiscount
	store_personaldiscount
Explanation:	store_totaldiscount
Trigger condition	
https://d365demystified.com/2020/09/06/using-triggerbody-triggeroutput-to-read-cds-trigger-metadata-attributes-in-a-flow-power-automate/	@add(store_personaldiscount, store_groupdiscount) gt 30
	@greater(add(triggerBody()?['body/store_personaldiscount'], triggerBody()?['body/store_groupdiscount']), 30)
	@greater(add(triggerOutputs()?['body/store_personaldiscount'], triggerOutputs()?['body/store_groupdiscount']), 30)

Question 8

Question Type: DragDrop

A company has a model-driven app.

A form that validates the date entered requires a custom button. The button must be available only under certain conditions.

You need to define the CommandDefinition in the RibbonDiffXML to meet the conditions for the button.

Which elements should you use? To answer, drag the appropriate elements to the correct conditions. Each element may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Elements	Answer Area	Element
Enable Rule	Make the button appear when the form shows an existing record.	Element
Display Rule	Make the button appear when the user has Write privilege on the record.	Element
Action	Prevent the button from being used in Bulk Edit mode.	Element

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/define-ribbon-enable-rules>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/define-ribbon-display-rules>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/define-ribbon-display-rules>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/define-ribbon-actions>

<https://docs.microsoft.com/en-us/powerapps/developer/model-driven-apps/define-ribbon-actions>

Question 9

Question Type: Hotspot

You are developing a Power Platform solution. You plan to add three buttons to a form. The buttons have the following requirements:

Button	Requirement
Button1	Add the current date and time to the form when the button is selected.
Button2	Apply conditional logic to change the form color based on the option selected in the Title field.
Button3	Ensure that the word Emergency is entered as "Emergency".

er area.

Button

Command

Button1

Answer:

Today() only

Now() only

Today() or Now()

Explanation:

Button2

<https://docs.microsoft.com/en-us/powerapps/maker/canvas-apps/functions/function-if>

Switch () only

IF () only

Switch() or IF()

Button3

Question 10 IsMatch(TextInput1.Text, "emergency", Contains)

IsMatch(TextInput1.Text, "emergency", Contains & IgnoreCase)

Question Type: Hotspot

~~IsMatch(TextInput1.Text, "emergency", Contains) or IsMatch(TextInput1.Text, "emergency", Contains & IgnoreCase)~~

You are creating a package for a Power Platform solution. The package will include custom code and sample data.

The package must include all files that need to be installed.

You need to configure the package.

Which setting should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Configuration option

Value

File that you must edit to include custom code.

Answer:

PackageTemplate.cs

ImportConfig.xml

CRMSDKTemplates.vsix

ComplexImportDetail.log

Explanation:

<https://docs.microsoft.com/en-us/previous-versions/alm/package-deployer-tool>

CRMSDKTemplates.vsix

<Solutionpackagefilename>.zip

ImportConfig.xml

PackageTemplate.cs

Question 11

Value for the Copy to Output Directory setting.

Question Type: OrderList

Copy Always

Do Not Copy

Copy If Newer

Empty

A company has a Common Data Service (CDS) environment.

All accounts in the system with a relationship type of Customer must have an account number. A plug-in has been developed.

When a Customer is updated with a relationship type, the plug-in sets the account number if not provided by the user.

You need to register the plug-in.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

In the Plug-in Registration tool, select **Register New Image**, change the Image type be a **PostImage**, and ensure the accountnumber is included as a parameter.

In the Plug-in Registration tool, select **Register New Image**, change the Image type be a **PrelImage**, and ensure the accountnumber is included as a parameter.

In the Plug-in Registration tool, select **Register New Step** and set the Message to **Update**, Primary Entity to **Account**, and Event Pipeline Stage of PreValidation.

In the Plug-in Registration tool, select **Register New Assembly**.

In the Plug-in Registration tool, select **Register New Step**. Set the Message to **Update**, Primary Entity to **Account**, and Event Pipeline Stage of PreOperation.

Answer area



Answer:

In the Plug-in Registration tool, Select Register New Step, PreOperation, change Image type to be a PrelImage, and..

Explanation:

Question 12

Question Type: MultipleChoice

A company is migrating from an on-premises Dynamics 365 installation to a Power Platform solution. You are creating plug-ins for the new solution.

You need to register the plug-ins.

Which isolation mode should you use?

Options:

- A- None
- B- Global Assembly Cache (GAC)
- C- Sandbox
- D- Disk

Answer:

C

Explanation:

You will find options related to the isolation mode and location for the assembly. These refer to options that apply to on-premise deployments. Dataverse is not available for on-premises deployments, so you will always accept the default options of SandBox and Database for these options.

<https://docs.microsoft.com/en-us/powerapps/developer/data-platform/register-plugin-in>

To Get Premium Files for PL-400 Visit

<https://www.p2pexams.com/products/pl-400>

For More Free Questions Visit

<https://www.p2pexams.com/microsoft/pdf/pl-400>

