# Free Questions for 1Z0-344

Shared by Morales on 04-10-2024

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

### **Question Type:** MultipleChoice

You are Setting up Oracle Access Manager (OAM) to support an EnterpriseOne single sign-On configuration. What is the EnterpriseOne SSO parameter configuration required on the Responses on the tab of the protected Resource policy?

### **Options:**

- A- Type = Header, Name=SSO\_JDE\_ UID, and Value = /jde/E1Menue.maf
- B- Type = Header, Name =JDE\_SSO\_UID, and Value = \$use. userid
- C- Type = Header, Name =SSO\_JDE\_UID, and Value = /jde/HostedE1Servlet
- D- Type = Header, Name = SSO\_JDE\_UID
- E- Type = Heade, Name = JDE SSO UID, and Value = userid \$user

#### **Answer:**

В

### **Explanation:**

https://docs.oracle.com/cd/E53430\_01/EOTSC/sso\_with\_oam\_11g\_r2.htm

# **Question 2**

### **Question Type:** MultipleChoice

A JDE user has two roles (ROLE1 and ROLE2) assigned. The role sequence and security for the two roles are defined as follows:

User / Role	Sequence Number	Security Type Application	Object Name									
ROLE1	15	Appli- U	object Name	Run	Install	Add	Change	Delete	OK /	Select	Com	Scro
ROLE2	20	Application	*ALL	N	N				,	SCIECT	Copy	to En
	20	Application	P0092	~				7			-	
ROLE2	20	Action			Y			-				
ROLE1	15		*ALL	125/1	00300	N	N	N	4	v	-0	
	45	Action	*ALL	102574	TO THE OWNER OF THE OWNER	N	N	N		10)	N	Y

What happens when the user logs in to JDE as \*All and tries to access the Address Book (P01012) application from fastpath?

### **Options:**

- A- The user is able to access the address Book (P01012) application both from Fat and web clients.
- B- The user is not able to access the address Book (P01012) application and "Not authorized" message.

- C- The user is able to access the address Book (P01012) application and can modify or view any address Book record.
- D- The user is able to access the address Book (P01012) application and can view all records but is restricted from performing any ADD/Modify/ Delete/Copy action.
- E- The user is not able to access the address Book (P01012) application from the Fat client but can access it from the web client

D

# **Question 3**

### **Question Type:** MultipleChoice

Which of the following JDE> INI settings is responsible for the automatic restart of the scheduler at the time of EnterpriseOne service Restart?

#### **Options:**

- A- numberOf AutoStartprocesses
- B- newprocessThresholdResquestts

C- maxNumberOfp	rocesses
-----------------	----------

- **D-** beginningMsgTYpeRange
- E- automaticRestartSchedular

.

#### **Answer:**

Α

### **Explanation:**

https://docs.oracle.com/cd/E17984\_01/doc.898/e14721/scheduler\_application.htm

# **Question 4**

**Question Type:** MultipleChoice

A JDE user has two roles assigned: Role 1(FINUSR) with sequence number 25 and role (FINSUP) with sequence number 35. When the User signs with the \*All role, what is the hierarchy that records read when user attempts any operation?

4 .	
ptions:	
puons.	

- A- \*PUBLIC > User > Role1 > Role 2
- B- \*PUBLIC > Role1 > Role2 > User
- C- PUBLIC > Role 1 > Role 2 > \*PUBLIC
- D- User > Role1 > Role2 >\* PUBLIC
- E- User > Role2 > Role > Role1 > \* PUBLIC

Α

# **Question 5**

**Question Type:** MultipleChoice

ACME would like to integrate its existing LDAP server with EnterpriseOne to users in one system. With LDAP authentication enabled, which two other profile values can be maintained in the LDAP server, in addition to user profiles?

### **Options:**

A- Role	
B- Date Format	
C- Language	
D- Password	
E- Address Book Number	
Answer:	
A, E	
Explanation:	
Source: http://download.oracle.com/docs/cd/E17984_01/doc.898/e14717/enable_ldap.htm#EOTSC00057	

# **Question 6**

**Question Type:** MultipleChoice

Users are able to see shared One View reports (OVR) but they unable to create custom OVRs. What is the type of security needed for creating custom OVRs?

0	pti	on	s:
_			_

- A- Row Security
- **B-** Action Security
- **C-** Application Security
- **D-** View security
- **E-** Content security

С

# **Question 7**

**Question Type:** MultipleChoice

An administrator has built a mandatory client package for the production pathcode and set up the deployment for all workstations. On your workstation, you log in to the production environment. What happens next?

### **Options:**

- A- You are prompted for a package; however, you do not need to install it to log in.
- B- You are prompted for a package, which must be installed before you can log in.
- C- The mandatory package is installed automatically after entering the login credentials, before the enterpriseOne menu are presented.
- D- the system reboots
- E- You will see the EnterpriseOne menue.

#### **Answer:**

С

# **Question 8**

### **Question Type:** MultipleChoice

An internal auditor at the ACME company needs to review and identify active JDE E1 users who have not signed in the JDE for more than a year.

Which option Specifies the table or tables that are needed to extract this information?

### **Options:**

- A- OneWorld System Users (F98OWPU)
- B- Security history (F9312)
- C- Security history (F9312) and User Security (F98OWSEC)
- D- One World Security (F98OWSEC)
- E- Library Lists- User (F0092)

#### **Answer:**

Е

# **Question 9**

#### **Question Type:** MultipleChoice

EnterpriseOne provides the Server Manager as its interface where administrator can capture vital resource information about the running EnterpriseOne Kernels.

Which two diagnostic types can be captured as a part of resource Manager?

Options:		
A- Users		
B- Paging		
C- Memory		
D- Disk I/O		
E- CPU		
Answer:		
C, E		
C, E  Question 10  Question Type: Multiple	Choice	
Question 10  uestion Type: Multiple	Choice se concerning the installation of the JD Edwards EnterpriseOne Deployment server?	

- A- The least planner ESU should be installed before starting the installation plan.
- B- The ODBC data source must be configured before beginning the installation.
- **C-** All the server that are participating in the solution must meet the specified minimum technical requirements.
- D- Disk space must be checked to ensure that appropriate capacity is available for desired installation components.
- E- The hardware servers that are participating in the solution must have been properly sized by an authorized hardware vendor.

В

# **Question 11**

**Question Type:** MultipleChoice

What is the correct URL syntax to launch the JDE One-Click provisioning Console in a web browser?

### **Options:**

A- https://public\_ip\_address:5000

B- http://public\_pi\_address:4000

C- https://public\_ip\_address:4000

D- https://public\_ip\_address:3000

E- http://public\_ip\_address:3000

#### **Answer:**

D

### **Explanation:**

http://www.oracle.com/webfolder/technetwork/tutorials/jdedwards/Cloud%20Elements/OCI/Deploy/deploying\_one\_clicHYPERLINK 'http://www.oracle.com/webfolder/technetwork/tutorials/jdedwards/Cloud Elements/OCI/Deploy/deploying\_one\_click\_92\_oci.html#section1'k\_92\_oci.html#section1

# **Question 12**

#### **Question Type:** MultipleChoice

While you were deploying the UBE+AAP package, users were unable to run any application from the HTML, However, after the package deployment was complete, users able to run the same application.

What is the reason for this glitch?

### **Options:**

- A- the server manager agent was restart during the package deployment.
- B- the HTML server was unable to poll relevant tables for a package change during the package deployment.
- C- the HTML server was restarted during the package deployment.
- D- the enterprise server is put in a locked state during package deployment where all JD Edwards EnterpriseOne users are prevented from running any applications. After the package is deployment, the state of the enterprise server changes to Available and users run their application again.

#### **Answer:**

D

# To Get Premium Files for 1Z0-344 Visit

https://www.p2pexams.com/products/1z0-344

# **For More Free Questions Visit**

https://www.p2pexams.com/oracle/pdf/1z0-344

