

Free Questions for 1Z0-434

Shared by Moore on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

Consider the current values of BPEL variables InputVariable and OutputVariable:

InputVariable	OutputVariable
<pre><ns2:query_Input> <ns2:Row_Id>808</ns2:Row_Id> </ns2:query_Input></pre>	<pre><ns3:query_Output> <ns3:Agent/> </ns3:query_Output></pre>

Then consider the following BPEL activity Assign1:

```
part = "query_Input"
```

```
query="/ns2:query_Input/ns2:Row_Id"/>
```

```
part = "query_Output"
```

```
query="/ns2:query_Output/ns2:RowId"/>
```

Which two changes allow Assign1 to work with the current values of InputVariable and OutputVariable?

Options:

- A- adding the attribute bpelx :insertMissingToData="yes" to line 2
- B- adding the attribute bpelx :insertMissingFromData="yes" to line 2
- C- correcting the namespace prefixes in line 5
- D- correcting the namespace prefixes in line 8

Answer:

B, C

Question 2

Question Type: MultipleChoice

For each enrollment request message, a health insurance carrier's web service always returns a response message acknowledgement the receipt of the enrollment request. If there are problems fulfilling the requested enrollment, the web service may respond at a later time with an additional response message detailing why the enrollment could not be fulfilled.

Which Oracle SOA Suite service component should be used to implement this integration pattern?

Options:

- A- BPEL Process
- B- Mediator
- C- Business Rule
- D- Human Workflow

Answer:

C

Question 3

Question Type: MultipleChoice

Which two statements are true about working with tasks in Business Process Workspace?

Options:

- A- A user can create personal to-do tasks that are unassociated with a process instance.
- B- Delegating a task means to transfer the task to another user or group.

- C- You can see how long each completed step has taken to finish.
- D- You can display the process model and view the path a process instance has taken.

Answer:

A, D

Question 4

Question Type: MultipleChoice

Which two statements are true about the defined Oracle JMS Adapter outbound connection?

Options:

- A- It supports connections to JMS distributed queues.
- B- It uses default credentials when connecting to the remote JMS provider.
- C- It supports zero message loss via distributed transactions.
- D- It requires the JMS consumer to explicitly commit transactions.

Answer:

A, B

Explanation:

http://docs.oracle.com/cd/E23943_01/web.11111/e15493/prog_details.htm

Question 5

Question Type: MultipleChoice

The identity context is opaque to your web service client and web service and you don't need to perform any additional coding or processing in your client or service to support it after you enable identity context propagation.

Which Oracle SOA Suite component directly enables this behavior?

Options:

A- Oracle Web Service Manager Policy Manager

- B-** Oracle BPEL Process Manager
- C-** Oracle Enterprise Manager
- D-** Oracle User Messaging Service

Answer:

D

Explanation:

<https://docs.oracle.com/middleware/1212/ums/UMSAG/introduction.htm>

Question 6

Question Type: MultipleChoice

Which Oracle Event Processing (OEP) data cartridge should you use to track the GPS location of buses and generate alerts when a bus arrives at its predetermined bus stop positions?

Options:

- A- JDBC Data
- B- Oracle Spatial
- C- Hadoop Big Data
- D- NoSQLDB Big Data
- E- Java Data

Answer:

B

Question 7

Question Type: MultipleChoice

You defined an event. You now want to trigger that event from an existing Mediator component.

How do you link the event to the Mediator so that the Mediator can raise the event to the Event Delivery Network (EDN)?

Options:

- A-** Use the SOA composite editor to specify the event as a property on the incoming wire into the Mediator component.
- B-** Use a text editor to modify the .edlfile that defines the event so that the Mediator is identified as a publisher.
- C-** Use the SOA Composite Editor to add a raise action to the Mediator's .mplan specification file.
- D-** Use Enterprise Manager to associate the Mediator with the appropriate event.

Answer:

C

Question 8

Question Type: MultipleChoice

When you create an assert in a test case, you can specify a Compare By rule of xml-identical or xml-similar. The rule designates the strictness of the comparison.

If you choose xml-similar, identify two conditions that will cause the comparison to fail.

Options:

- A-** The namespaces are the same, but the namespace prefix is different.

- B-** An element has the same child attributes, but they are in a different order.
- C-** An element has a different name, but the same child attributes are in the same order.
- D-** The namespaces are different, but the namespace prefix is the same.

Answer:

D

Question 9

Question Type: MultipleChoice

Which statement is true about if-then rule within a ruleset?

Options:

- A-** It is evaluated in the listed order.
- B-** It can evaluate other rulesets.
- C-** It can modify the result of the rule multiple times.
- D-** It always sets the outcome of the rule.

Answer:

B

To Get Premium Files for 1Z0-434 Visit

<https://www.p2pexams.com/products/1z0-434>

For More Free Questions Visit

<https://www.p2pexams.com/oracle/pdf/1z0-434>

