# Free Questions for 1Z0-996-22

**Shared by Matthews on 04-10-2024** 

For More Free Questions and Preparation Resources

**Check the Links on Last Page** 

# **Question 1**

**Question Type:** MultipleChoice

On which three entities can proration be disabled? (Choose three.)

### **Options:**

- A- Calculation Rule Business Object
- **B-** Bill Factor
- **C-** Calculation Rule
- D- Rate Version Calculation Group
- E- Rate Schedule

#### **Answer:**

A, D, E

# **Question 2**

**Question Type:** MultipleChoice

Which three statements are true about usage subscriptions? (Choose three.)

#### **Options:**

- A- A usage subscription can have either parent or child service points.
- B- A usage subscription can be configured to include only a portion of a service point usage.
- C- A usage subscription can have many service points.
- D- Usage subscriptions are always related to an account.
- E- A usage subscription can have only one service point.

#### **Answer:**

A, C, D

### **Question 3**

#### **Question Type:** MultipleChoice

Critical validation rules verify the integrity of the initial measurement data (IMD). If an implementation needs to add new critical validations, where would you configure them?

- A- as new lifecycle algorithms on the IMD Seeder BO (D1-IMDSeeder)
- B- in the pre-processing algorithm of the IMD Seeder BO (DI-IMDSeeder)
- C- as options on the IMD Seeder BO (D1-IMDSeeder)
- D- in the schema of the IMD Seeder BO (D1-IMDSeeder)
- E- in the validation algorithm on the IMD Seeder BO (D1-IMDSeeder)

#### **Answer:**

В

### **Question 4**

**Question Type:** MultipleChoice

Your implementation requires an installation of two types of devices:

**Electric Smart Meter** 

Gas Manual Meter

Which two Device	Type attributes are	required to identify t	these device types?	(Choose two.)

- A- Device Business Object
- **B-** Service Type
- **C-** Valid Measuring Component Types
- **D-** Manufacturer
- E- Serial Number

#### **Answer:**

B, C

# **Question 5**

**Question Type:** MultipleChoice

Which statement supports usage transaction calculation?

- A- Bill determinants are derived from the final measurements for only interval measuring components or devices installed at the usage subscription's service points during the calculation period.
- **B-** Bill determinants are derived from the initial measurement data of the measuring components devices installed at the usage subscription's service points during calculation period.
- **C-** Bill determinants are derived from the final measurements of the measuring components or devices installed at the usage subscription's service points during the calculation period.
- D- Bill determinants are derived from the initial measurement data of the measuring components installed at the usage subscription's devices during the calculation period.

#### **Answer:**

С

### **Question 6**

**Question Type:** MultipleChoice

How should you configure the derived values that are relevant for a device?

- A- Configure the derived values on the Measuring Component for the measuring components to be defined on the device.
- B- Configure the derived values on the Measuring Component Type for the measuring components to be defined on the device.
- C- Configure the derived values on the Device Type for the derived values to be defined on the device.
- D- Configure the derived values on the Final Measurement Type for the measuring components to be defined on the device.

#### **Answer:**

D

### **Question 7**

#### **Question Type:** MultipleChoice

New: An electric utility is starting an Advanced Meter Infrastructure (AMI) roll-out for their residential customers. The initial plan is to roll out devices from their manufacturer with potentially three different device models. The customer has not decided what head-end systems they will use to communicate with these devices. Based on the customer's initial roll-out strategy, the devices will have to be configured consistently to support existing tariffs for billing.

Which is a valid consideration to determine the setup of device type administrative data for this implementation?

Options:
A- billing usage rules
B- the model number
C- the device's date of manufacturer
D- valid head-end systems, valid device configuration types, and the electricity service type
Answer:
С
Question 8
Question Type: MultipleChoice
How many devices can be installed at a service point at an instance in time?
Options:
A- exactly one device

- B- up to three devices
- C- one for each service type
- D- one for each measuring component

#### **Answer:**

Α

### **Question 9**

#### **Question Type:** MultipleChoice

Which three statements are true about initial measurements, final measurements, and usage? (Choose three.)

#### **Options:**

- A- Usage is a synonym for bill determinants.
- B- The initial measurement data can be optionally stored in Raw format.
- C- A service point can have more than one initial measurement for the same period, but only one final measurement.
- D- Final measurements can be directly edited or updated by users or by automated processes as required.

E- Usage is loaded in the application to generate final measurements.

### Answer:

C, D, E

### To Get Premium Files for 1Z0-996-22 Visit

https://www.p2pexams.com/products/1z0-996-22

### **For More Free Questions Visit**

https://www.p2pexams.com/oracle/pdf/1z0-996-22

