

**Free Questions for CRT-450**

**Shared by Winters on 04-10-2024**

**For More Free Questions and Preparation Resources**

**Check the Links on Last Page**

# Question 1

---

**Question Type:** MultipleChoice

---

What is the result of the following code snippet?

```
public void doWork(Account acct){  
    for (Integer i = 0; i <= 200; i++){  
        insert acct;  
    }  
}
```

## Options:

---

- A- Accounts are inserted.
- B- Account Is inserted.
- C- 200 Accounts are inserted.
- D- 201 Accounts are Inserted.

## Answer:

---

A

## Question 2

---

Question Type: MultipleChoice

---

Which exception type cannot be caught?

A.

`CalloutException`

B.

A custom exception

C.

`LimitException`

D.

`NoAccessException`

**Options:**

---

**A-** Option A

B- Option B

C- Option C

D- Option D

**Answer:**

---

C

## Question 3

---

**Question Type:** MultipleChoice

---

A developer needs to prevent the creation of Request\_\_c records when certain conditions exist in the system. A RequestLogic class exists that checks the conditions.

What is the correct implementation?

A.

```
trigger RequestTrigger on Request__c (after insert) {  
    if (RequestLogic.isValid(Request__c))  
        Request.addError('Your request cannot be created at this time.');
```

B.

```
trigger RequestTrigger on Request__c (before insert) {  
    RequestLogic.validateRecords(trigger.new);  
}
```

C.

```
trigger RequestTrigger on Request__c (before insert) {  
    if (RequestLogic.isValid(Request__c))  
        Request.addError('Your request cannot be created at this time.');
```

D.

```
trigger RequestTrigger on Request__c (after insert) {  
    RequestLogic.validateRecords(trigger.new);  
}
```

### Options:

---

- A- Option A
- B- Option B
- C- Option C
- D- Option D

### Answer:

---

B

## Question 4

---

**Question Type:** MultipleChoice

---

What are two considerations for running a flow in debug mode?

Choose 2 answers

### Options:

---

- A-** Callouts to external systems are not executed when debugging a flow.
- B-** Clicking Pause or executing a Pause element closes the flow and ends debugging.
- C-** Input variables of type record cannot be passed into the flow,
- D-** DML operations will be rolled back when the debugging ends.

### Answer:

---

B, C

## Question 5

---

### Question Type: MultipleChoice

---

Universal Containers wants to ensure that all new leads created in the system have a valid email address. They have already created a validation rule to enforce this requirement, but want to add an additional layer of validation using automation.

What would be the best solution for this requirement?

### Options:

---

- A- Submit a REST API Callout with a JSON payload and validate the fields on a third party system
- B- Use an Approval Process to enforce the completion of a valid email address using an outbound message action.
- C- Use a before-save Apex trigger on the Lead object to validate the email address and display an error message if it is invalid
- D- Use a custom Lightning web component to make a callout to validate the fields on a third party system.

### Answer:

---

C

## Question 6

---

**Question Type: MultipleChoice**

---

A developer must perform a complex SOQL query that joins two objects in a Lightning component. How can the Lightning component execute the query?

**Options:**

---

- A- Create a flow to execute the query and invoke from the Lightning component
- B- Write the query in a custom Lightning web component wrapper and invoke from the Lightning component,
- C- Invoke an Apex class with the method annotated as @AuraEnabled to perform the query.
- D- Use the Salesforce Streaming API to perform the SOQL query.

**Answer:**

---

B

## Question 7

---

**Question Type: MultipleChoice**

---

A Developer Edition org has five existing accounts. A developer wants to add 10 more accounts for testing purposes.



The following code is executed in the Developer Console using the Execute Anonymous window:

```
Account myAccount = new Account(Name = 'MyAccount');
insert myAccount;

Integer x = 1;
List<Account> newAccounts = new List<Account>();
do {
    Account acct = new Account (Name = 'New Account ' + x++);
    newAccounts.add(acct);
} while (x < 10);
```

How many total accounts will be in the org after this code is executed?

**Options:**

---

- A- 5
- B- 6
- C- 10
- D- 15

**Answer:**

---

C

## Question 8

---

**Question Type:** MultipleChoice

---

A developer needs to allow users to complete a form on an Account record that will create a record for a custom object.

The form needs to display different fields depending on the user's job role. The functionality should only be available to a small group of users.

Which three things should the developer do to satisfy these requirements?

Choose 3 answers

### Options:

---

- A-** Create a Dynamic Form,
- B-** Add a Dynamic Action to the Account Record Page.
- C-** Create a Custom Permission for the users.
- D-** Add a Dynamic Action to the Users' assigned Page Layouts.
- E-** Create a Lightning web component.

**Answer:**

---

A, B, C

## Question 9

---

**Question Type: MultipleChoice**

---

Given the following Apex statement:

```
Account myAccount = [SELECT Id, Name FROM Account];
```

What occurs when more than one Account is returned by the SOQL query?

**Options:**

---

- A-** The query fails and an error is written to the debug log.
- B-** The variable, myAccount, is automatically cast to the List data type.
- C-** The first Account returned is assigned to myAccount.
- D-** An unhandled exception is thrown and the code terminates.

**Answer:**

---

D

## Question 10

---

**Question Type:** MultipleChoice

---

A developer is designing a new application on the Salesforce platform and wants to ensure it can support multiple tenants effectively.

Which design framework should the developer consider to ensure scalability and maintainability?

**Options:**

---

**A-** Flux (view, action, dispatcher, and store)

**B-** Waterfall Model

**C-** Agile Development

**D-** Model-View-Controller (MVC)

**Answer:**

---

C

## Question 11

---

**Question Type:** MultipleChoice

---

A credit card company needs to implement the functionality for a service agent to process damaged or stolen credit cards. When the customers call in, the service agent must gather many pieces of information. A developer is tasked to implement this functionality.

What should the developer use to satisfy this requirement in the most efficient manner?

### Options:

---

- A- Apex trigger
- B- Approval process
- C- Screen-based flow
- D- Lightning Component

### Answer:

---

C

**To Get Premium Files for CRT-450 Visit**

**<https://www.p2pexams.com/products/crt-450>**

**For More Free Questions Visit**

**<https://www.p2pexams.com/salesforce/pdf/crt-450>**

