

Free Questions for C_BW4H_211

Shared by Morrow on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

What are some of the prerequisites for using SAP S/4HANA ABAP CDS views for extraction into SAP BW/4HANA in an ODP context?

Note: There are 2 correct answers to this question.

Options:

- A- An ODP source system with contest ODP_CDS must be created in SAP BW/4HANA
- B- The ABAP CDS views must be defined with the appropriate data extraction annotations
- C- THE ABAP CDS views must be released via program RODPS_OS_EXPOSE for BW extraction
- D- An Operational Data Provisioning Framework must be configured in SAP BW/4HANA

Answer:

A, B

Question 2

Question Type: MultipleChoice

You notice that an SAP ERP ODP_SAP DataSource is delivering incorrect values into the first persistent data layer in SAP BW/4HAN

Options:

- A- Which options do you have to analyze a potential extractor issue? Note: There are 2 correct answers to this question.
- A- Use the ODQ maintenance in SAP BW/4HANA
- B- Use transaction RSA3 (Extractor checker) in SAP ERP
- C- Check entries in table RSDDSTATEXTRACT in SAP ERP
- D- Use program RODPS_REPL_TEST in SAP ERP

Answer:

B, D

Question 3

Question Type: MultipleChoice

Which source types are available to create a generic DataSource in SAP ERP? Note: There are 3 correct answers to this question.

Options:

- A- ABAP class method
- B- Database view
- C- HDI Calculation View
- D- ABAP function module
- E- SAP query

Answer:

B, D, E

Question 4

Question Type: MultipleChoice

Where can you automatically generate a process chain?

Options:

- A- Form a data flow object
- B- Within the process chain editor app
- C- from a streaming enable DataSource
- D- Within the process chain maintenance

Answer:

A

Question 5

Question Type: MultipleChoice

In which ODP context is the operational delta queue (ODQ) managed by the target system?

Options:

- A- ODP_BW
- B- ODP_CDS
- C- ODP_SAP

D- ODPJHANA

Answer:

D

Question 6

Question Type: MultipleChoice

What is the request handling default setting for error handling in a data transfer process (DTP) in SAP BW/4HANA?

Options:

- A- Request is set to failed, error stack is written, and valid records are updated
- B- Request is canceled, records are not tracked, and target is not updated
- C- Request is set to success, error stack is written, and valid records are updated
- D- Request is canceled, first incorrect record is tracked, and target is not updated.

Answer:

B

To Get Premium Files for C_BW4H_211 Visit

https://www.p2pexams.com/products/c_bw4h_211

For More Free Questions Visit

<https://www.p2pexams.com/sap/pdf/c-bw4h-211>

