

Free Questions for P_C4H340_34

Shared by Dennis on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

To install and configure the Solr server in cloud mode, which sequence of steps should you use?

Options:

- A-** Disable the autostart for the default instance. Enable the autostart for the cloud instance. Set the cloud instance mode to true.
- B-** Disable the autostart for the cloud instance. Enable the autostart for the default instance. Set the default instance mode to cloud.
- C-** Disable the autostart for the default instance. Enable the autostart for the cloud instance. Set the cloud instance mode to cloud.
- D-** Disable the autostart for the cloud instance. Enable the autostart for the default instance. Set the cloud instance mode to true.

Answer:

C

Question 2

Question Type: MultipleChoice

Which of the following relations are defined in the data model for personalization (based on ===== SmartEdit)? Note: There are 2 correct answers to this question.

Options:

- A- A one-to-many relation between CxExpressionTrigger and CxSegment.
- B- A one-to-many relation between CxCustomization and CxVariation.
- C- A many-to-many relation between CxVariation and CxAbstractAction.
- D- A many-to-many relation between CxSegmentTrigger and CxSegment

Answer:

B, D

Question 3

Question Type: MultipleChoice

Which of the following can you configure in a widget definition (definition.xml) file? Note: There =====
are 2 correct answers to this question.

Options:

- A- The available non-virtual sockets
- B- The available virtual sockets
- C- The view file
- D- The default values for widget settings
- E- The business logic of the widget via a bean shell script

Answer:

B, C, D

Question 4

Question Type: MultipleChoice

What causes item data to be invalidated in the SAP Commerce Cloud entity cache? Note: There are =====

2 correct answers to this question.

Options:

- A- Receiving an invalidation event for the item via cluster messaging
- B- Calling the modelService.create() method passing a Model class
- C- Calling a setter method on a Model class
- D- Calling the modelService.save() method passing an item model

Answer:

A, D

Question 5

Question Type: MultipleChoice

Which of the following items are configured via a direct relation to a BaseStore? Note: There are 3 =====

correct answers to this question.

Options:

- A-** A list of Content Catalogs providing the pages, slots, and other CMSItems shown to Customers
- B-** A list of Product Catalogs providing the product info shown to Customers
- C-** A list of customers associated with the BaseStore.
- D-** A list of warehouses that support the delivery
- E-** A list of points of service that represent local branches

Answer:

B, E

Question 6

Question Type: MultipleChoice

You are creating a new SolrIndexProperty as a facet and want to define it using facet ranges. What =====
do you need to do to achieve that?

Options:

A- Manually create SolrValueRange items to define the range boundaries.

Create a SolrValueRangeSet, add SolrValueRange items, and add to the SolrIndexProperty.

B- Define the number of ranges in the SolrIndexProperty.

Provide sample data that is used to generate the SolrValueRange items.

C- Define the cadence of the ranges in the SolrIndexProperty.

Provide the sample data that is used to generate the SolrValueRangeSet.

D- Create SolrValueRange items to define the range boundaries.

Add them to the SolrIndexProperty

Answer:

D

To Get Premium Files for P_C4H340_34 Visit

https://www.p2pexams.com/products/p_c4h340_34

For More Free Questions Visit

<https://www.p2pexams.com/sap/pdf/p-c4h340-34>

